

RETINAL CASES & BRIEF REPORTS®

FALL 2007

VOLUME 1, NUMBER 4



ARTICLES

Short-Term Effects of Intravitreal Bevacizumab in Type II Idiopathic Macular Telangiectasia189

In a patient with Type 2 idiopathic macular telangiectasia without neovascularizations, intravitreal bevacizumab treatment reduced the size and intensity of the hyperfluorescent area in late phase fluorescein angiography. Microperimetric assessment revealed an improved retinal sensitivity compared to baseline.

Peter Charbel Issa, Hendrik P. N. Scholl, Frank G. Holz

Intravitreal Bevacizumab (Avastin) in a Pediatric Case of Pathologic Myopia192

A report on the successful consecutive use of intravitreal bevacizumab (Avastin™) in a child with myopic choroidal neovascular membrane.

Natarajan Sundaram, Mahesh Uparkar, Ashish Athale, Aniruddha Mahindrakar

Intravitreal Bevacizumab (Avastin) for Treatment of Persistent Macular Edema in Vitrectomized Eyes: Limited Effect and Early Recurrence195

Results showed that the effect of intravitreal bevacizumab therapy was limited in ten vitrectomized eyes with persistent macular edema. The foveal thickness tended to be reduced slightly only at one week after the injection, but returned to the pre-injection level by one month.

Mineo Kondo, Yasuki Ito, Hiroko Terasaki

Intravitreal Bevacizumab (Avastin) for Radiation Retinopathy 53 Years After Treatment of Retinoblastoma198

One injection of intravitreal bevacizumab (Avastin) caused regression, with 3 months follow-up, of rubeosis iridis and an atypical polypoidal vascular lesion in the fundus of a patient treated with radiation for retinoblastoma 53 years previously.

Stephen J. Kim, G. Baker Hubbard, III

Multiple Repeated Intravitreal Triamcinolone Treatments for Radiation-Induced Macular Edema202

Radiation retinopathy is a slowly progressive occlusive microangiopathy secondary to endothelial cell loss and capillary closure that occurs after ionizing radiation treatment. It has features similar to those of diabetic retinopathy, including macular edema.

David A. Eichenbaum, Jeffery S. Heier

10/1/2007 214 294

Cytomegalovirus Retinitis After Intravitreal Triamcinolone Treatment of a Vitrectomized Eye in an Immunocompetent Patient205

Cytomegalovirus retinitis can occur after intravitreal triamcinolone treatment of a vitrectomized eye in an immunocompetent patient. Papillitis and retinitis respond well to systemic ganciclovir and intravitreal foscarnet treatment; however, vitrectomy may be necessary for treatment of anterior uveitis and vitreous opacity.

Mariko Furukawa, Kazuyuki Kumagai, Nobuchika Ogino, Satoshi Okinami, Akinori Uemura, Eric Larson

Cytomegalovirus Retinitis After Treatment With Intravitreal Triamcinolone Acetonide in an Immunocompetent Patient208

A human immunodeficiency virus–negative patient developed polymerase chain reaction–documented cytomegalovirus (CMV) retinitis 6 weeks after treatment with intravitreal triamcinolone acetonide (IVTA), the second reported case of CMV retinitis after IVTA treatment in an immunocompetent host possibly from local ocular immunosuppression. Both patients had diabetes mellitus, suggesting a potential associated predisposing systemic factor.

Jason Hsu, Eric Chen, James F. Vander

Necrotizing Herpetic Retinopathy After Intravitreal Triamcinolone Acetonide Injection211

Observational case report of a woman with a past history of herpes zoster ophthalmicus who developed necrotizing herpetic retinopathy as a novel potential complication of intravitreal TA injection.

Robert A. Sisk, Robert K. Hutchins

Four-Month Back Pain After Verteporfin Treatment: Clinical Case Notes213

Following injection of verteporfin, a patient developed continuous severe back pain. The back pain resolved over 4 months, and despite thorough orthopaedic and neurologic work-up, no other explanation was found.

Clare L. Fraser, Jennifer J. Arnold

Focal Detachment of Fovea in Patients With Idiopathic Epiretinal Membrane215

A report of three patients with idiopathic ERM in whom the visual loss and metamorphopsia progressed quickly and in whom optical coherence tomography (OCT) showed a focal detachment of fovea.

Murat Karacorlu, Hakan Ozdemir, Serra Arf Karacorlu

Secondary Proliferations in Heavy Silicone Oil Endotamponade217

In this case report, postoperative complications in a case with giant retinal tear and heavy silicone oil endotamponade are described.

Suleyman Kaynak, Hakan F. Oner, Nilufer Kocak, Banu Lebe

Choroidal Neovascularization in Peripapillary Acute Zonal Occult Outer Retinopathy220

A report on a patient who presented with peripapillary Acute Zonal Occult Outer Retinopathy and Choroidal Neovascularization.

Salomon Y. Cohen, Lee M. Jampol

Unilateral Cone Dysfunction as a Manifestation of Acute Zonal Occult Outer Retinopathy223

A report on a patient with unilateral cone dysfunction who later developed acute zonal occult outer retinopathy in the contralateral eye.

Shigeki Machida, Junya Kizawa, Takamitsu Fujiwara, Ken-ichi Murai, Eriko Sugawara, Noriko Imaizumi

An In Vivo Human Demonstration of 23 Gauge Infusion Cannula Air Forces Striking the Retina During a Fluid/Air Exchange Vitrectomy for Macular Hole Repair229

This case report demonstrates, in vivo, the appearance of an air jet from the infusion cannula striking the retinal surface, providing more evidence that air forces from the infusion cannula may potentially disturb or damage the inner retinal surface and/or optic nerve.

Paul E. Tornambe

Clinical and Genetic Heterogeneity of Crystalline Retinopathies: Report of Two Families Without Bietti Crystalline Dystrophy232

A report of two families with a crystalline retinopathy, with a different mode of inheritance and distinct ethnic backgrounds. Both families showed a resemblance to Bietti crystalline dystrophy, however there was no evidence of lysosomes containing crystalline clefts in the cytoplasm of peripheral leukocytes and no pathogenic mutations were identified in the *CYP4V2* gene.

O'Neil M. Biscette, Rafael C. Caruso, Nizar Smaoui, Benjamin I. Rubin, Mary Alice Crawford, Meira R. Meltzer, Chi Chao Chan, Ekaterini Tsilou

Optical Coherence Tomographic Findings in Bietti's Crystalline Tapetoretinal Dystrophy236

A report on the OCT findings of a peculiar dystrophy of the fundus of the eye, Bietti's crystalline tapetoretinal dystrophy.

Giuseppe Giuffrè, Mauro G. Distefano, Luigi Di Rosa

Parafoveal Intraretinal Crystals in Pearson Syndrome239

A report describing the occurrence of bilateral parafoveal intraretinal crystals in a patient with Pearson syndrome (bone marrow-pancreas syndrome).

Sri Maguluri, Franco M. Recchia

Optical Coherence Tomography Reveals Retinal Degeneration From Persistent Submacular Fluid After Pneumatic Retinopexy for Rhegmatogenous Retinal Detachment241

Serial optical coherence tomography revealed a case in which foveal neurosensory degeneration resulted from persistent submacular fluid after otherwise successful repair of a rhegmatogenous retinal detachment via pneumatic retinopexy.

Thomas J. Federici, Ronald L. Willson, Kurt A. Gitter

Surgical Evaluation of Submacular Exudates Secondary to a Vasoproliferative Tumor of the Retina	244
A report of a case, with 5-year follow-up, of visual recovery following the surgical removal of submacular exudates secondary to a vasoproliferative tumor of the retina.	
<i>Peter N. Youssef, David A. Saperstein</i>	
Late Reopening of Spontaneously Closed Traumatic Macular Hole	246
A report of a case of late reopening of spontaneously closed traumatic macular hole.	
<i>Takanori Kameda, Akitaka Tsujikawa, Atsushi Otani, Hiroko Aikawa, Nagahisa Yoshimura</i>	
Bilateral Vasoproliferative Retinal Tumors in a Patient With Autosomal Dominant Aniridia	249
A report of a new observation of bilateral vasoproliferative tumors in a patient with aniridia.	
<i>Angela K. Au, Carol L. Shields, Robert E. Kalina, Craig G. Wells, Jerry A. Shields</i>	
Choroidal Metastasis from Carcinoma of the Bladder	251
A report of a case of the nested variant of bladder carcinoma metastatic to the choroid as the initial manifestation of metastatic disease.	
<i>Laurent Levecq, Patrick De Potter, Catherine Godfraind, Ann-Pascal E. Guagnini, Alexandra Kozyreff</i>	
Angioid Streaks in a Patient With Hemochromatosis and Secondary Porphyria Cutanea Tarda	254
This report of a second case of angioid streaks associated with hemochromatosis suggests that it may be more common than previously noted.	
<i>Jose S. Pulido, Mark J. Donaldson, Anna S. Kitzmann, Leonid Skorin Jr, Helmut Buettner, Karen Chen</i>	
Histology of Retina Overlying Bacterial Subretinal Abscess and Implications for Treatment	257
A report of a case of a patient with <i>Klebsiella pneumoniae</i> subretinal abscess successfully treated with aggressive management with good preservation of vision.	
<i>John B. Christoforidis, Scott M. Warden, Gault M. Farrell, Meghan Baker, Shizuo Mukai</i>	
Etanercept Monotherapy Induces Complete Resolution of Cystoid Macular Edema in a Patient With Intermediate Uveitis	261
A report of a patient with bilateral cystoid macular edema complicating active refractory intermediate uveitis who was treated with etanercept monotherapy and had rapid, complete resolution of CME and dramatic improvement in vision.	
<i>Roberta P.A. Manzano, Petros E. Carvounis, Thomas A. Albini, Eric R. Holz</i>	

Macular Degeneration in a Japanese Patient With Aceruloplasminemia264

To date, the ocular findings have been reported only for two patients with aceruloplasminemia, one caucasian and one Japanese. We describe a Japanese patient with aceruloplasminemia whose ocular findings were similar to those reported for the white patient. These findings indicate that the ocular signs of aceruloplasminemia are not ethnically based.

Toshitaka Itabashi, Yuko Wada, Asako Tada, Marie Sukegawa, Eiko Imai, Hajime Sato, Toshiaki Abe, Kohji Nishida

Morphologic and Functional Changes in Solar Retinopathy: A Study by Optical Coherence Tomography and Fundus-Related Perimetry267

We report three cases of solar retinopathy in which we performed complete ophthalmologic examination, including optical coherence tomography and fundus-related perimetry, soon after solar exposure and at follow-up.

Francesco Prascina, Giuseppe Querques, Vincenzo Russo, Cristiana Iaculli, Nicola Delle Noci

Focal Retinal Pigment Epithelium Breaks in Central Serous Chorioretinopathy271

We describe two patients who had acute CSC with a focal RPE leak and optical coherence tomography (OCT) and fundus autofluorescence imaging evidence to support this hypothesis.

Michael D. Ober, Chiara M. Eandi, Lee M. Jampol, Howard F. Fine, Lawrence A. Yannuzzi

Bilateral Serous Macular Detachment in a Woman on Sildenafil for Pulmonary Hypertension274

A report of a 52-year-old woman who developed painless loss of vision in both eyes after starting sildenafil for pulmonary hypertension. Optical coherence tomography and clinical examination revealed macular serous detachment with cystoid macular edema in both eyes. Vision and examination normalized after sildenafil was discontinued.

Susanna S. Park

Please visit the Journal's website at: www.retinalcases.com

Instructions for Authors can be found in the Author and Reviewer Information section of the website and manuscripts can be submitted online through Editorial Manager.