

Table of contents, Volume 1 (Sections 1 - 5)

(presenting author is listed first or the name is underlined>

Plenary lectures

Štys P.: Phylogeny of Acercaria and general considerations on classification of metataxa and adelphotaxa.	18
Kristensen N.: Phylogeny of endopterygote Insects, the most successful lineage of living organisms	19
Traut W.: Evolution of sex chromosomes in insects.	20
Akam M.: Molecular studies of development in insects.	21
Sømme L.: Strategies of overwintering in terrestrial arthropods.	22
van Emden H.: The plant - the secret of pest management and pest mis-management.	23
New T.R.: Entomology and nature conservation.	25

Section 1 - Morphology, Ultrastructure and Physiology

General morphology

Oral presentations 1

Pass G.: Anatomy and morphology: quo vadis?	26
Szucsich N.U., Krenn H.W.: Flies and flowers: Functional morphology and evolution of a long proboscis in Bombyliidae (Diptera).	27
Krenn H.W., Zulka K.P.: Morphological adaptations to specialized feeding habits of the proboscis in Nymphalidae (Lepidoptera)?	28
Kubín V.: The electronmicroscopical study of female genitalia of some species of the genus <i>Eupithecia</i> Curt. (Lepidoptera, Geometridae).	30

Workshop 1A: Cuticle structure

Wakonigg G., Eveleigh L., Arnold G., Crailsheim K.: Ontogeny of the cuticular hydrocarbon profiles of the honey bee drone (<i>Apis mellifera carnica</i> Pollmann).	31
Weber F., Soester A., Trinkaus M.: The deposition of a differentiated procuticle after moulting in vitro.	32
Schmidt G.H.: Effects of locust crowding and pteridines on the melanization of the insect cuticle.	33
Weyda F., Veerman A.: Cuticular structure of diapausing and non-diapausing females of the spider mite, <i>Tetranychus urticae</i>	35
Retnakaran A., Palli S.R., Tomkins W.L., Primavera M., Ladd T., Perera A. and Sundaram M.: Changes in gene regulation of cuticle development induced by a stable ecdysteroid agonist in the spruce budworm, <i>Choristoneura fumiferana</i> (Lepidoptera: Tortricidae).	37

Posters 1 & 1A

Rościszewska E., : The structure of the egg capsules of the stoneflies (Plecoptera) - a comparative study.	38
Chaika S.Yu.: Morphofunctional specialization of hematophagous insects.	40
Kocorek A.: Modifications of bucculae in the family Dinidoridae (Heteroptera: Pentatomoidea).	42
Šobotník J., Štys P.: The origin of lateral claws in insects	43
Merivee E., Luik A., Rahi M.: Distribution of antennal pheromone receptors in some click beetles.	45
Weyda F.: Two simple methods of preparation of arthropod cuticle.	47

Weyda F. Cuticle of the absorbing and non-absorbing part of eversible vesicles: organs for water intake in primitive groups a arthropods.	48
Hopkins T. L., Krchma L.J., Ahmad S.A., Kramer K.J.: Pupal cuticle proteins of <i>Manduca sexta</i> : Characterization and profiles during tanning.	49
Alberti G., Norton R.A., Kasbohm J.: Mineralization of cuticle in Oribatida (Acari: Arachnida).	50
Hubert J., Smrž J.: The internal anatomy of <i>Scheloribates laevigatus</i> (Acari: Oribatida).	51

Workshop 1B: Regulation of respiration and haemolymph circulation

Oral presentations 1B

Sláma K.: The mechanics of insect breathing: the pupa of <i>Galleria mellonella</i>	52
Pass G., Krenn H. and Gereben-Krenn B.-A.: Evolutionary pathways of insect circulatory organs.	54
Kaiser A., Hetz S.: The role of the hemolymph in discontinuous CO ₂ release of diapausing moth pupae - hypercapnia, hypocapnia and compensation.	56
Wasserthal L.T.: Periodic heartbeat reversal coordinated with abdominal movements and their specific effects upon circulation and intratracheal pressure in the blowfly.	57
Tartes U., Kuusik A., Vanatoa A.: Heart beating, gas exchange cycles and their interaction in diapausing <i>Pieris brassicae</i> pupa.	58
Mulenkowa K., Wobschall A., Hetz S.: Spiracle activity is controlled according to ambient oxygen partial pressure in diapausing butterfly pupae.	60
Gereben-Krenn B.-A., Pass G.: Morphology and evolution of the circulatory organs of the caudal appendages in basic insects.	62
Blatt J., Roces F.: Sugar levels in the honeybee haemolymph (<i>Apis mellifera carnica</i>) depend on the ingested sugar concentration and on the metabolism.	63
Micheu S., Leonhard B., Crailsheim K.: The importance of proline in honeybee flight (<i>Apis mellifera carnica</i> Pollmann).	64
Ehgartner C., Crailsheim K.: The fate of ingested fat in honeybees (<i>Apis mellifera carnica</i> Pollmann).	65
Sláma K.: Cardiac versus extracardiac haemocoelic pulsations in the mealworm.	66

Posters 1B and biochemistry

Wirkner C.S., Pass G.: Morphology and evolution of the circulatory system in Chilopoda. ...	68
Vondran T., Wasserthal L.T.: The cephalic arterial system in Lepidoptera.	69
Wobschall A., Hetz S.: The compliance of the tracheal system assists in storing oxygen and reducing respiratory water loss.	70
Schmitz A., Perry S.F.: Morphometric evidence for partitioning of O ₂ /CO ₂ diffusing capacity in a simple tracheal system.	71
Kutuzova N.M., Semina N.V., Khrunin A.V., Kometiani I.B., Filippovich Yu.B.: Stimulation of carbohydrate metabolising enzymes by ecdysterone and juvenile hormone in <i>Tenebrio molitor</i> and <i>Periplaneta americana</i> fat body.	72
Khvoshevskaja M.F., Krukova N.A., Lozinskaya J.L., Dubovski I.M., Martemyanov V.V., Glupov V.V.: Metabolic activity in haemocytes of insects.	73
Kania G.: Morphology of the main immunocytes of <i>Ommatoiulus sabulosus</i> (Diplopoda: Julida: Julidae).	74
Çetin M., Karsavuran Y.: Water and dry substance content of various stages of laboratory reared <i>Nezara viridula</i> (L.) (Heteroptera: Pentatomidae).	75
Piunkova S.A., Filippovich Yu.B., Konichev A.S.: Effect of free amino acids on the acid ribonuclease activity in tissues and organs of silkworm <i>Bombyx mori</i> L.	76
Gaverova J. G., Konichev A.S., Filippovich Yu.B.: The effects of amino acids on the activities and multiple forms of glucose-6-phosphate dehydrogenase of silkworm <i>Bombyx mori</i> L.	77

Vinokurov K.S., Zhuzhikov D.P., Elpidina E.N.: The activity of salivary amylase in male and female of cockroach <i>Nauphoeta cinerea</i> Oliv.	78
Elpidina E.N., Zhuzhikov D.P., Gromenko V.A., Vinokurov K.S., Rudenskaja J.A.: Midgut proteinases of the cockroach <i>Nauphoeta cinerea</i> Oliv.	80
Eremina O.Yu., Bakanova E.I., Butovsky R.O.: The comparative activity of ferments of arthropods as related to heavy metal pollution.	81
Ivanov V.G., Konichev A.S., Geva O.N., Tarasenko N.V., Filippovich Yu.B.: Reserve proteins and tiol proteinases from the eggs of the silkworm, <i>Bombyx mori</i> L.	82
Zahradníčková H., Heydová A., Texlová M., Chvalová D., Berková P., Šimek P., Hodková M.: <i>Pyrrhocoris apterus</i> in the laboratory of analytical chemistry.	83

Workshop 1C: Metabolic neurohormones

Oral presentations 1C

Van den Horst D.J., Van Marrewijk W.J., Vullings H.G., Diederer J.H.: Adipokinetic hormones: Release, signal transduction and physiological responses.	84
Lorenz M.W., Woodring J.P., Gäde G.: Adipokinetic hormones of the Hymenoptera.	86
Socha R., Kodrlik D.: Adipokinetic response of <i>Pyrrhocoris apterus</i> (L.) (Heteroptera).	87
Zubrzycki I.Z.: Conformational studies of the EMP-AKH peptide using molecular and Langevin Dynamics method.	89
Gäde G., Auerwald L.: Coleopteran energy metabolism and regulation by small peptides. ..	91
Steele J. E.: Activation of cockroach fat body by hyper-trehalosemic hormones: New insights into the mechanism of cell signalling.	92
Goldsworthy G.J., Owusu M., Simmonds M.S.J., Coast G.M., Blaney W.M.: <i>Locusta</i> CRF-related diuretic peptide has a role in the control of feeding behaviour of locusts. ..	93
Baggerman G., Verhaert P., Shaw C., Beirlant J., De Loof A.: A locust bioassay monitoring the effect of injected peptides on food intake. How to cope with assay variability?	95
Marco H. G., Brandt W., Gäde G.: Bioassay, ELISA, sequence homologies and mass spectrometry: tools for determining presence and primary structure of crustacean hyperglycaemic hormone.	97
Verhaert P., De Loof A.: The use of time-of-flight mass spectrometry in the study of insect neurohormones - an overview.	99
Predel R., Eckert M.: The "forgotten" hormone reservoir: Perisymphatic organs in insects.	101

Posters 1C

Egertová M., Cravatt B.F., Elphick M.R.: Phylogenetic analysis of cannabinoid signalling. ..	103
Semina N.V., Khrunin A.V., Kutuzova N.M., Filippovich Yu.B.: The effect of peptide hormones on the activity of multiple forms of enzymes of <i>Periplaneta americana</i>	105
Minkova N.O., Lapteva T.I., Filippovich Yu.B.: Leu-enkephalin and its synthetic analog dalargin (D-Ala ² -Arg ⁶ -Leu-enkephalin) as regulators of synthesis of nucleic acids in the insects. ..	106

Workshop 1D: Adenotropic neuropeptides - Structural diversity and multifunctional tasks

Richter K., Böhm G.A., Leubert F.: 3-dehydroecdysone secretion and regulation by PTTH in the moulting gland of the cockroach <i>Periplaneta americana</i>	107
Birkenbeil H.: Involvement of calcium in PTTH-stimulated ecdysone synthesis of lepidopteran prothoracic glands.	108
Okuda T., Tanaka S.: Juvenile hormone synthesis by corpora allata in vitro in a cricket (Orthoptera) in relation to wing polymorphism.	109
Lorenz M.W., Hoffmann K.H.: Cricket allatostatins - new structures and physiological properties.	110

Duve H., Thorpe A.: Dipteran and lepidopteran neuroendocrine peptides of the allatostatin superfamily: Structural and functional diversity.	112
Weaver R.J., Audsley N., Yagi K.J., Edwards J.P.: Distribution and functional significance of <i>Manduca sexta</i> allatostatin-like peptides (MAS-ASPs) in different insects.	113
De Loof A., Schoofs L., Huybrechts R., Veelaert D., Macours N., Isaac E., Salzert M., Loeb M.: Search for a renin-angiotensin system (RAS) in insects.	114
Žďárek J., Denlinger D.L., Nachman R.J.: Parturition hormone of tsetse flies (<i>Glossina</i> spp.): Action, occurrence and identity.	116

Workshop 1E: Sex pheromones

Rafaeli A., Gileadi C.: The inhibition of sex-pheromone production in moths.	118
Picimbon J.F., Bécard J.M., Gadenne C.: Regulation of pheromone production in virgin and hybrid females of the black cutworm moth, <i>Agrotis ipsilon</i> (Lepidoptera, Noctuidae). ...	119
Kaissling K.E.: Model of pheromone-controlled anemotaxis.	121
Jurenka R.A.: Sex pheromone biosynthesis in moths.	123
Fonagy A., Yokoyama N., Okano K., Ozawa R., Tatsuki S., Maeda S., Matsumoto S.: Recent findings in the mode of action of pheromone biosynthesis activating neuropeptide in <i>Bombyx mori</i>	124

Section 2 - Genetics, Molecular and Developmental Biology

General Session

Oral presentations

Ashburner M.: Drosophila genome sequencing projects: Progress towards the complete genomic sequence of an insect.	126
Šauman I., Berry S.J.: Nuclear actin: it's time come round at last.	127
Godlewski J., Kludkiewicz B., Grzelak K., Cymborowski B.: Expression of <i>lhp76</i> and <i>lhp82</i> genes in diapausing <i>Galleria mellonella</i> larvae.	129
Shirk P.D., Perera O.P., Fraser M.R., Jr.: Development of the <i>piggyBac</i> transposon as a convenient transformation vector for insects.	130

Posters Genetics & Molecular Biology

Turčinavičienė J., Sužiedelis K., Rakauskas R.: DNA differences detected in some related aphid species using the randomly amplified polymorphic DNA (RAPD) PCR.	131
Perepelov E.A., Bugrov A. G.: Karyotypes and C-heterochromatin patterns of some dragonflies (Odonata) from Russia.	132
Sevastyanova G.A., Tretyak A.P., Ryskov A.P., Filippovich Yu.B., Strunnikov V.A.: DNA fingerprints of <i>Bombyx mori</i> L.: Testing of genotypic variability of parthenogenetic strains.	133
Michel K., Pinkerton A.C., Stamenova A., Watson J.A., O'Brochta D.A., Franz G., Robinson A.S., Atkinson P.W.: Green fluorescent protein as an autonomous marker for germline transformation of Dipterans.	134
Wilde J., Bratkowski J., Siuda M.: Mapping <i>Varroa jacobsoni</i> resistance genes (short PCP) with QTL in honeybees.	135
Gaži M., Mach V.: The type II fork head binding sites in the salivary and silk gland-specific promoters.	136
Semeshin V.F., Artero R., Perez-Alonso M., Shloma V.: An electron microscope in situ hybridization method for gene mapping on <i>Drosophila melanogaster</i> polytene chromosomes.	138

Demakov S.A., Schwartz Yu.B., Semeshin V.F., Ioudinkova E.S., Razin S.V., Zhimulev I.F.: Molecular genetic analysis of DNA from interband regions of <i>Drosophila melanogaster</i> polytene chromosomes.	139
Metchetina S.A., Tchernykh A.A., Bugrov A.G.: A complex B-chromosome polymorphism in the grasshopper <i>Zubovskya koeppeni</i> (Zub.).	141
Fedič R., Žurovec M., Sehnal F.: Haevy-chain fibroin of <i>Antheraea yammamai</i>	142
Nirmala X., Vanishree V., Krishnan M.: Influence of fibroin gene expression by dietary protein in the silkworm, <i>Bombyx mori</i>	143
Hwang J.S., Kim H. R., Goo T. W., Kang H. A., Kim S. H., Sohn H. R.: Phylogenetic relationships among the species of Bombycidae and Saturniidae based on mitochondria DNA analysis	144

Workshop 2A: Sex chromosomes and sex determination in insects

Oral presentations 2A

Blackman R.L., Spence J.M.: Sex chromosomes and sex determination in relation to cyclical parthenogenesis in aphids.	145
Bugrov A.G.: Sex chromosome evolution in grasshoppers of the genus <i>Asiotmethis</i> Uv. (Orthoptera, Pamphagidae).	146
Marec F.: Making use of sex chromosomes in insect pest control.	147
Dübendorfer A.: Sex determination in the housefly, <i>Musca domestica</i>	149
Bopp D., Burghardt G., Hilfiker-Kleiner D., Dübendorfer A., Nöthiger R.: Evolution of sex-determining mechanisms in dipteran insects.	151
Saccone G., Testa G., Pane A., De Martino G., Coppola R., Lanna R., Lancieri M., Louis C., Polito L.C.: <i>Drosophila</i> sex determination regulatory cascade: A basic knowledge for evolutionary studies on and applied approaches to the mediterranean fruitfly <i>Ceratitis capitata</i>	153
Kuhn S., Suck G., Sahara K., Sievert V., Traut W.: Sex determining genes in the phorid fly, <i>Megaselia scalaris</i>	155
Kraemer C., Weil B., Schmidt E.R.: The sex determining region of <i>Chironomus thummi</i> contains repetitive DNA and a highly conserved gene.	156
Sánchez L.: Sex determination and dosage compensation in sciarids.	158
Beukeboom L.W.: Sex determination in Hymenoptera.	160
Butcher R.D.J., Whitfield W.G.F., Hubbard S.F.: Temperature dependent single locus complimentary sex determination in Hymenoptera.	161
Beye M., Grohmann L., Hunt G.J., Page R.E.: Mapping the sex-locus of the honeybee by PFGE-analysis.	162
Gokhman V.P.: Karyotype evolution and sex determination in parasitic wasps (Hymenoptera).	163

Posters 2A

Beukeboom L.W., Driessen G., Luckerhoff L., Bernstein C., van Alphen J.J.M.: Reproductive modes and sex determination in the wasp <i>Venturia canescens</i> (Hymenoptera).	165
Beukeboom L.W., Eilers J.: Do the braconid wasps <i>Asobara tabida</i> and <i>Alysia manducator</i> (Hymenoptera) have single locus sex determination?	166
Bonvicini-Pagliai A.M.: Differential embryo's viability in sexuparae of two strains of <i>Acyrtosiphon pisum</i> Harris (Homoptera, Aphididae).	167

Workshop 2B: Developmental and functional aspects of insect gonads

2B Oral presentations

Rübsam R., Hollmann M., Simmerl E., Lammermann U., Schäfer M., Büning J., Schäfer U.: Oogenesis in the <i>Drosophila</i> egghead mutant.	168
Gigliotti S., Graziani F., Malva C.: The <i>tulipano</i> gene is required for chromatin organization in <i>D. melanogaster</i> nurse cells and encodes a nucleoporin-like protein.	170
Manzi A., Rotoli D., Paglia I., Gigliotti S., Malva C., Graziani F.: The <i>tegamino</i> (<i>teg</i>) gene is required for somatic cell patterning during oogenesis in <i>D. melanogaster</i>	171
Gruber A., Büning J.: P-element mutagenesis during oogenesis in <i>Drosophila melanogaster</i> : Morphological and molecular characterization of ovary specific mutations.	172
Chen G., Handel K., Roth S.: The dorsal gene of <i>Tribolium castaneum</i>	173
Hepperle Ch., Günzl A., Hartfelder K.: Ecdysteroid-regulated gene expression in the ovary of the larval honey bee during caste development.	174
Capella I.C.S., Hartfelder K.: Multiple role of juvenile hormone in caste-specific differentiation of the larval honeybee ovary.	175
Papáček M., Soldán T.: Development of the internal reproductive system and gametogenesis in aquatic bugs (Heteroptera, Nepomorpha): the major features.	176
Simiczjew B., Ogorzałek A.: Architecture of the trophic chambers-anagenesis of telotrophic ovaries in Heteroptera.	178
Biliński S.M., Büning J.: Structure of ovaries and oogenesis in the snow flea, <i>Boreus hyemalis</i> (Mecoptera: Boreidae).	180
Büning J., Maddison D.R.: Surprising ovary structures at the base of Coleoptera.	182

2B Posters

Rościszewska E., Soldán T.: Morphology of accessory ovaries in adult males of <i>Perla marginata</i> (Plecoptera: Perlidae).	183
Rübsam R., Büning J.: Fusomes and ring canals in polytrophic meroistic ovaries.	185
Kozhanova N., Tsvetkov A.: Karyosphere is a short-lived formation in Hemiptera oogenesis.	187
Simiczjew B., Margas W., Biliński S.: Histological and ultrastructural investigations on the oogenesis of the bat flea <i>Ischnopsyllus</i> sp. (Siphonaptera: Ischnopsyllidae).	188
Simiczjew B.: The eggshell formation and chorion fine structure in <i>Bittacus</i> and <i>Panorpa</i> (Mecoptera: Bittacidae, Panorpidae).	189
Ogorzałek A.: Follicular epithelium differentiation in Heteroptera.	181
Mazurkiewicz M., Kubrakiewicz J.: Development of the polytrophic ovary in a moth midge, <i>Tinearia alternata</i> Say. (Diptera: Nematocera, Psychodidae).	193
Batalova F.M., Tsvetkov A.G.: Nuclear bodies from <i>Panorpa communis</i> oocytes contain splicing factors of pre-mRNA.	195
Alexandrova O.A., Bogolyubov D.S., Tsvetkov A.G.: The RNA synthesis in ovarioles of <i>Tentyria nomas taurica</i> and <i>Tenebrio molitor</i>	196
Bogolyubov D.: Splicing factors in oocyte nuclei of the mealworm <i>Tenebrio molitor</i> pupae revealed by immunoelectron microscopy.	198
Klag J., Świątek P.: Primordial germ cells during migration and embryonic gonads formation in <i>Allacma fusca</i> (L.) (Collembola, Symphypleona).	199
Janssen I., Konopińska D., De Loof A.: Structural requirements for biological activity of the trypsin modulating oostatic factor from the gray fleshfly (Neb-TMOF) and the yellow fever mosquito (Aea-TMOF).	201
Żelazowska M., Biliński S.M.: Endosymbiotic bacteria in the oocytes of anoplurans and mallophagans.	202
Szklarzewicz T.: Germ cell cluster development in the ovaries of scale insects (Hemiptera, Coccinea).	203

Quesada-Moraga E., Santiago-Alvarez C.: Assessment of the state of sexual maturity in <i>Doclostaurus maroccanus</i> (Thunberg) (Orthoptera: Acrididae) female.	205
--	-----

Workshop 2C Insect blood proteins

Oral presentations 2C

Dutta-Gupta A., Kirankumar N.: Ecdysteroid regulated uptake of storage proteins by the fat body and male accessory reproductive glands of rice moth, <i>Corcyra cephalonica</i> - identification and role of specific binding proteins present in cell membranes.	206
Hansen I., Gutschmann V., Scheller K.: Ecdysteroid controlled processing of the <i>Calliphora</i> hexamerin receptor: Cleavage points and sites of interaction between the receptor and its ligands.	207
Häunerland N.H., Luo Z., Persaud D.: Receptor-mediated uptake of hemolymph proteins by <i>Helicoverpa zea</i> fat body.	208
Sappington T.W., Raikhel, A.S.: Molecular characteristics of insect vitellogenin receptors, a novel group of the <i>ldl</i> receptor family.	209
Marmaras V.J., Lambropoulou M.: Cell-mediated immunity in insects.	210
Kim S.H., Yun E.Y., Kang S.W., Kim K.Y., Kim H.R., Kang S.K.: Molecular cloning and expression of a novel gene encoding a new attacin-like peptide from <i>Bombyx mori</i>	211

Posters 2C

Pasztaleniec A., Jabłoński P.G.: Inducible bacteraemias in pesticide-poisoned pupae of <i>Pieris brassicae</i>	212
Nussbaumer C., Hinton A.C., Hammock B.D.: Isolation and sequencing of cDNA clones coding for juvenile hormone esterase from <i>Lymantria dispar</i> (Lepidoptera, Lymantriidae).	214
Sokol R., Siuda M., Romaniuk K., Wilde J.: The effect of levamisole on the concentrations of total proteins and lipids in haemolymph of <i>Apis mellifera carnica</i>	215
Homolová K., Kopáček P.: Purification and partial characterization of acidic glycoprotein from hemolymph of the soft tick, <i>Ornithodoros moubata</i>	216

Workshop 2D: Molecular sericulture

Mita K., Morimyo M., Okano K., Maeda S., Shimada T.: cDNA catalog of <i>Bombyx mori</i> . ..	217
Tamura T., Abraham E.G., Kanda T., Komoto N., Yukuhiro K.: Mutants and marker genes for transgenesis in silkworm, <i>Bombyx mori</i>	218
Žurovec M., Kodrík D., Sehnal F.: Components of Lepidopteran silk	219
Gopinathan K.P., Sriram S., Acharya A., Sehgal D.: The mulberry silkworm, a natural bioreactor	220
Julien E., Garel A., Horard B., Durand B., Couble P.: SGFB and PSGF, two factors inducing posterior cell specific expression in the silk gland of <i>Bombyx mori</i>	221

Section 3 - Behaviour, Development & Life Histories

Oral presentations

Santiago-Alvarez C., Quesada-Moraga E.: Mediterranean locust, <i>Doclostaurus maroccanus</i> (Thunberg), embryonic development management and colony maintenance.	222
Huk T.: Growth ratios in carabid beetles (Coleoptera, Carabidae): An exception from Dyar's law?	223
Lopatina E.B., Kipyatkov V.E.: Comparative study of temperature dependance of development in ants.	224
Nedvěd O.: Sum of injurious temperatures as a cryobiological analogy of sum of effective temperatures in development of heterotherms.	226

Magro A., Hemptinne J.-L.: Some aspects of <i>Cryptolaemus montrouzieri</i> Mulsant and <i>Nephus reunioni</i> Fürsch (Coleoptera, Coccinellidae) life history strategies.	227
Ghavami M.D., Kersting U., Özgür A.F.: Life history of <i>Phytodecta fornicatus</i> Bruggem (Coleoptera, Chrysomelidae) on alfalfa in the east Mediterranean region of Turkey.	228
Vig K.: Biology of the crucifer flea beetle in Hungary (<i>Phyllotreta cruciferae</i> Goeze, 1777) (Coleoptera: Chrysomelidae: Alticinae).	230
Bauer-Dubau K.: The generation-order of <i>Cinara piceicola</i> (Cholodkowsky) (Sternorrhyncha, Lachnidae) and its association with ant attendance.	232
Schwörer U., Völkl W., Hoffmann K.H.: Foraging in a male hyperparasitoid: The influence of unfavourable weather conditions.	234
Heiling A.M.: Why do nocturnal orb web spiders search for light?	235
Legkov V.V., Krasavina L.P., Sapunov V.B.: The control of fecundity of aphids <i>Megoura viciae</i> at population level.	237

Workshop 3A: Migration an important phase of life cycle

Oral presentations 3A

Matalin A.V.: Polymorphism of wing apparatus and flight potential in carabid beetles.	238
Harada T., Inoue T., Morioka H., Doi K.: Comparative studies on migratory syndrome of two water striders, <i>Aquarius paludum</i> (Fabricius) and <i>Gerris latiaabdominis</i> Miyamoto.	239
Grodnitski D.L.: On a correlation between flying and feeding across orders of insects.	240
Seta K., Hashimoto K., Niki S., Inoue A.T., Arikawa K.: Flower visiting time and color preference of the <i>Papilio swallowtail</i> butterflies.	242

Posters 3 & 3A

Frouz J., Nováková A.: New method for rearing the sciarid fly <i>Lycoriella solani</i> in laboratory.	243
González Megías A., Sánchez Piñero F., Avila J.: Experimental evidence for active occupation of host nest by kleptoparasitic dung beetles.	244
Özder N., Kivan M.: Some biological investigations on <i>Zabrus tenebrioides</i> damaged on wheat in Thrace region.	245
Buleza V.V.: Host searching in <i>Tribliographa rapae</i> Westw. (Hymenoptera, Cynipidae) a parasitoid of larval cabbage root fly (<i>Delia radicum</i> L.).	246
Hrdý I., Kuldová J., Svatoš A., Weyda F., Wimmer Z.: Termites as a model of wood destroying social insects cast regulation and chemical ecology.	248
Lis B.: A type of host-plants as the factor influencing the wing polymorphy in lace bugs (Heteroptera: Tingidae).	250
Drosu S., Hondru N.: Effect of temperature on the spotted tentiform leaf-miner (<i>Phyllonorycter blancardella</i> F.) and its development constants.	251
Carvalho Filho J.R., Howse P.E.: Alarm behaviour of the brown stink bug, <i>Euschistus heros</i> (Hemiptera, Pentatomidae).	252
Zolubas P., Žiogas A.: Quantifying gypsy moth (<i>Lymantria dispar</i> L.) female flight capability in Lithuania.	254
Nekuliseanu Z. Z.: Activity and number in carabid beetles caught in the ultraviolet light trap.	256
Furukawa H., Harada T.: Overwintering by flyers and non-flyers in a water strider, <i>Gerris nepalensis</i> Distant.	257

Workshop 3B: Locust phase polymorphism

Oral presentationa 3B

Pener M.P., Ayali A., Golenser E.: Phase-dependent differences in adipokinesis, flight fuel relations and migratory strategies in locusts.	258
---	-----

Simpson S.J., McCaffery A.R., Despland E.: Behavioural analysis of phase change in the desert locust: From physiology to population dynamics.	259
Applebaum S.W., Heifetz Y.: Physiology of nymphal phase behaviour	260
Sehnal F., Němec V.: Role of ecdysteroids in the control of locust phase polymorphism.	261
McCaffery A.R., Simpson S.J., Oldham N.J., Hägele B.: Maternal transmission of phase characteristics in the desert locust.	262
Wilps H., Despland E.: Effects of azadirachtin and other limnoids on locust phases.	263

Posters 3B

Despland E., Simpson S.J.: Effects of small-scale vegetation structure on desert locust gregarisation.	264
Hägele B.F., Oldham N.J., McCaffery A.R., Simpson S.J.: Potential role of substances from the egg foam extract of the desert locust <i>Schistocerca gregaria</i> in the maternal transmission of gregarization.	265

Workshop 3C: Circadian Clocks in Insects

Oral presentations 3C

Šauman I., Reppert S.M.: Molecular regulation of circadian egg hatching behavior in the silkworm, <i>Antheraea pernyi</i>	266
Lankinen P., Forsman P.: DNA sequence variation at the <i>period</i> locus in <i>Drosophila littoralis</i> strains with latitudinally variable photoperiodism and circadian rhythms.	267
Reppert S.M., Šauman I.: Circadian clock neurons in the silkworm <i>Antheraea pernyi</i> : Novel mechanisms of clock gene regulation.	268
Giebultowicz J.M., Gvakharia B.O., Kilgore J.A., Emery H.S.: Expression of clock genes <i>period</i> and <i>timeless</i> in male reproductive systems of flies and moths.	269
Gao N., Hardie J., Foster R.G.: Putative brain photoperiodic photoreceptors in the vetch aphid, <i>Megoura viciae</i>	270
Numata H.: Role of the compound eyes in insect photoperiodism.	271
Veerman A.: Temperature effects on the photoperiodic response of the spider mite <i>Tetranychus urticae</i>	273
Kyriacou C.P., Piccin A., Hennessy J.M., Rosato E., Costa R.: Comparative analysis of dipteran clock genes	274
Jones I.W., Elphick M.R.: Dark-dependent activation of soluble guanylyl cyclase in locust photoreceptors	275

Workshop 3D: Diapause and Polyphenism

Oral presentations 3D

Cymborowski B.: Larval diapause in <i>Galleria mellonella</i>	277
Saunders D.S.: Larval overcrowding and escape from diapause in the blow fly, <i>Calliphora vicina</i>	279
Hodek I.: Alternation of responsiveness and refractoriness to photoperiod in a heteropteran; is it an endogenous rhythm?	280
Musolin D.L., Saulich A.H.: Two periods of dormancy in the seasonal cycle of <i>Picromerus bidens</i> (Heteroptera, Pentatomidae): The results of laboratory and field experiments.	281
Mohaghegh J., De Clercq P., Tirry L.: Body size and fecundity in two strains of <i>Podisus nigrispinus</i> (Heteroptera, Pentatomidae) with a different rearing history.	283
Phillips S.W., Bale J.S., Tatchell G.M.: Morph determination and asexual overwintering in the lettuce root aphid <i>Pemphigus bursarius</i> L.	284
Hardie J., Vaz Nunes M.: Temperature effects on required day number in aphids.	285
Kipyatkov V.E., Lopatina E.B.: Possible role of photoperiodism in the regulation of seasonal cycle of development in boreal <i>Myrmica</i> ants.	286

Reeson A.F., Wilson K., Gunn A., Goulson D., Hails R.S.: Density dependent phase polyphenism in the Lepidoptera.	288
Hodková M.: The effect of temperature and developmental stage on the photoperiodic counter in <i>Pyrrhocoris apterus</i>	289

Section 4 - Evolution, Taxonomy and Classification

Session Evolution and taxonomy

Oral presentations 4

Dallai R.: New findings on dipluran spermatozoa.	291
Büning J.: Development and phylogeny in insect ovaries.	292
Szklarzewicz T.: Organization of the ovariole in primitive and advanced families of scale insects (Hemiptera, Coccinea).	294
Kubrakiewicz J.: Is the ovary structure relevant to neuropteran phylogeny?	296
Jaglarz M.K.: The structure of the egg chambers in Hydradephaga and Geadephaga and its phylogenetic implications.	298
Burmester T.: The evolutionary history of insects and other arthropods based on the phylogeny of the hexamerin/hemocyanin protein superfamily.	300
Golub N.: Data on karyotypes in psocids of suborder Psocomorpha (Insecta, Psocoptera). ...	302
Kuznetsova V.G.: Karyotypes and testis structure in Fulgoroidea (Auchenorrhyncha, Homoptera): Diversity, evolution, phylogenetic significance.	303
Gorczyca J.: On the systematic position of Vanniini Gorczyga (Heteroptera, Miridae)	305
Lis J.A.: Burrower bugs of the World (Heteroptera, Cydnidae) – the present state of knowledge	307
Fellowes M.D.E.: Trade-offs and the evolution of host resistance to parasitoid attack.	308

Posters 4

Sapunov V.B.: Quantitative approach to species variability in insects.	309
Gómez-Zurita J., Juan C., Petipierre E.: Population and phylogenetic analyses of the <i>Timarcha goettingensis</i> complex (Coleoptera, Chrysomelidae) based on mitochondrial DNA sequences.	310
Maryańska-Nadachowska A., Kuznetsova V.G.: Karyotypes and number of testicular follicles in Psylloidea (Homoptera) and their taxonomic significance.	311
Warchałowska-Śliwa E.: Karyotype evolution of Bradyporinae (Orthoptera, Tettigoniidae). .	313
Prokop J.: Fossil insects from the lower miocene locality Bílina (brown coal mine) in northern part of the Czech Republic.	314
Bílý S.: Immature stages of Buprestidae (Coleoptera) - our present knowledge and morphological characteristic.	315
Vitner J.: External morphology of larvae of the Central European Aphodiinae: systematic point of view (Coleoptera, Scarabaeidae).	316
Knutelski S., Wanat M., Petryszak B.: On two parthenogenetic weevil species of the genus <i>Simo Dejean</i> (Coleoptera, Curculionidae).	318
Güler Y., Çağatay N.: Systematical studies on the genus <i>Bracon</i> (<i>Glabrobracon</i>) (Hymenoptera: Braconidae, Braconinae) in Ankara region.	320

Workshop 4A: Taxonomy of bark and timber beetles

Oral presentations 4A

Lindelöw Å.: Recent changes in the distribution of some bark beetle species in Sweden.	321
Kirisits T., Wingfield M.J., Führer E.: Comparative studies on the association of the bark beetles <i>Ips typographus</i> , <i>Ips cembrae</i> and <i>Ips amitinus</i> with blue-stain fungi in Central Europe. .	322

Page M., Seybold S.J.: Cuticular hydrocarbons as character for taxonomic and phylogenetic analyses of bark beetles.	323
Stauffer Ch.: Molecular tools in scolytid research.	325
Tillman J.A., Tittiger C., Lu F., Dwinell S., Blomquist G.J., Seybold S.J.: A comparative biochemical and molecular study of <i>Ips pini</i> (Say) (Pini subgeneric group) and <i>Ips paraconfusus</i> Lanier (<i>Grandicollis</i> subgeneric group) (Coleoptera, Scolytidae): Regulation and activity of a key enzyme involved in <i>de novo</i> aggregation pheromone biosynthesis. .	326
Seybold S.J., Cognato A.I., Page M.: Biochemical basis for the application of aggregation pheromones and cuticular hydrocarbons to taxonomic and phylogenetic analyses of bark beetles (Coleoptera, Scolytidae).	328
Cognato A.I., Sperling F.A.H.: Phylogeny of <i>Ips</i> DeGeer species (Coleoptera, Scolytidae) inferred from mitochondrial cytochrome oxidase and elongation factor-1 alpha sequences.	330

Posters 4A

Knížek M., Zahradník P.: To distribution of <i>Ips duplicatus</i> (Sahlberg) (Coleoptera, Scolytidae) in the Czech Republic.	332
Kinuura H., Gotoh T., Ito S.: Inoculation of the ambrosia beetle, <i>Platypus quercivorus</i> (Murayama) (Coleoptera:platypodidae) to Japanese oak trees.	334
Voolma K., Mandelshtam M.: A comparison if the checklists of Scolytidae (Coleoptera) in two adjacent regions: Estonia and St. Petersburg district of Russia.	336
Kajimura H.: Coevolutionary interactions between ambrosia beetles and their symbiotic fungi - potential food utilization of the Xyleborini.	338
Goto H.: A new type of mycangia found in the genus Euwallacea (Coleoptera, Scolytidae). .	340
Hösle P., Stauffer Ch.: Molecular and ethological analysis of <i>Ips typographus</i> populations. .	341
Riegler M., Stauffer Ch., van Meer M.M.M.: No further signs of <i>Wohlbachia</i> in European <i>Ips</i> species?	342
Riba J.M., Blas M.: Utilization of baited units sprayed with insecticides to monitor bark beetle populations (Coleoptera, Scolytidae).	343

Section 5 - Biogeography & Entomofaunistic

Session Biogeography

Oral presentations

Mikkola K.: Finnish Lepidoptera: Spatial synchrony and effects of climatic change.	344
Kornošor S.: Faunistic studies of Sphingidae (Lepidoptera) in the Southeast Mediterranean Region of Turkey II.	345
Spungis V.: Evaluation of the fauna of gall midges (Diptera, Cecidomyiidae) of Latvia.	347
Skuhrová M., Skuhrový V.: Biogeographical gradients influencing the gall midge species richness (Diptera, Cecidomyiidae) in Europe.	348
Gaponov S., Pershina V.: At the fauna Sciomyzidae (Diptera) in the Central black soil region of Russia.	349
Solodovnikov A.Yu.: Zoogeographical survey of the staphylinomorphid Staphylinidae (Coleoptera) fauna of the North-Western Caucasus.	350
Nelson B., Nash R., Picton B.: Provision of computerised information on Irish insects.	352

Session Coenobiology

Oral presentations

Vlk R.: Results of examination of leaf-miners (Diptera, Agromyzidae) of economic importance on field and glasshouse crops in the Czech Republic.	353
Önder F., Karsavuran Y., Tezcan S.: Investigations on the vertical distribution in the habitats of plant bugs (Heteroptera, Miridae) of Turkey.	355
Thunes K.H., Midtgaard F.: Distribution of beetle species in <i>Fomitopsis pinicola</i> in relation to fungi and forest characteristics.	356
Darwish E.T.E.: Some ecological aspects on the population densities of certain aphid species.	357
Buchholz S., Scheurer S.: <i>Cinara pinihabitans</i> (Mordvilko), (Sternorrhyncha, Aphidina)- an until now little known Cinarinae on <i>Pinus sylvestris</i>	359
Jedlička P., Frouz J.: Changes in communities of soil dwelling Coleoptera during secondary succession on abandoned fields.	360
Kisbenedek T.: Effect of vegetation structure on orthopteran communities in Hungarian grasslands.	361

Posters Biogeography and Coenobiology

Gedminas A., Žiogas A.: Distribution of insect by trophic groups in mid-aged pine stands of Lithuania.	363
Barševskis A.: Fauna and biogeographical peculiarities of ground beetles (Coleoptera, Caraboidea) in Baltic countries.	364
Karsavuran Y., Yoldas Z., Öncüler C., Erol T., Çetin M., Gücük M.: Species of suborder Coccinea (Homoptera) and its natural enemies on fruit trees in province of Izmir and Aydin (Turkey).	366
Waitzbauer W., Ortel J.: The „Hundsheimer Berge“ in lower Austria, centre of an extraordinary arthropod fauna.	367
Suárez Alvarez V.A., Capdevila Arguelles L., Salgado Costas J.M.: Preliminary study of carabids (Coleoptera, Carabidae) of Urban parks in Austrias (NW. Spain).	369
Mikhailov Yu.E.: The Urals (mountain range on the Euro-Asian border) really possess alpine entomofauna (evidence of Chrysomelidae, Coleoptera).	370
Ganin G.N.: Soil invertebrates of the Ussuri Taiga (Protected and developed territories of the South of the Russian Far East).	372
Kljutschko Z.F.: The moths (Lepidoptera, Noctuidae) of the Ukok plateau (Altai, Russia). ...	373
Knutelski S.: Biogeography and ecology of two parthenogenetic races of a weevil <i>Otiorhynchus scaber</i> (L.) (Coleoptera, Curculionidae) in the Tatra Mts.	374
Křištin A.: Orthopteran assemblages along vertical gradient of some Carpathian mountains. .	376
Heidemaa M.: Notes on the sawfly fauna of Estonia (Hymenoptera, Symphyta).	377
Holecová M., Zach P.: Beetles (Coleoptera) associated with oaks in Slovakia – a survey. ...	379
Kısmalı S.: A list of Chrysomelidae (Coleoptera) of Turkey preserved in the collection of plant protection department of U.E.F.A.	380
Szwedo J., Gębicki C.: On Ulopidae (Homoptera, Cicadomorpha) and their distribution. ...	381
Nejedlá M.: Description of immature stages of <i>Rhopalus maculatus</i> and <i>Chorosoma schillingii</i> (Heteroptera, Rhopalidae).	383
Derzhansky V.V.: Structure of the heteropterous fauna (Hemiptera) in the system of the successional esparcet field, apple orchard and forest margin.	385
Kočárek P.: Daily periodicities in arthropods visiting carrion.	387
Holecová M., Kulfan M., Degma P.: Leaf eating insects on original and introduced oaks in SW Slovakia.	388
Boháč J., Kula E.: The long term monitoring of staphylinid beetles (Coleoptera, Staphylinidae) assamblages in forest area under the influence of emissions.	390

Varvara M., Sowig P., Donescu D.: The variation of diversity of Carabidae (Coleoptera, Carabidae) in some potato crops from Romania.	391
Péter G., Kádár F., Kiss J., Tóth F.: Faunital investigation on ground beetles (Coleoptera, Carabidae) in winter wheat fields and the adjoining field margins in Hungary.	392
Volkovitsh M., <u>Ruicanescu A.</u> : Rectification of the species list of subfamily Acmeoderinae (Coleoptera, Buprestoidea) of the fauna of Romania.	394
Šaluchaite A.: Beetles in spring barley, winter wheat, sugar beet fields with different agricultural technologies.	395
Salmane I.: Fauna and biodiversity of gamasin mites (Acari, Mesostigmata, Gamasina) of salty coastal meadows in Latvia.	396
Kučinić M.: Biodiversity, ecological and zoogeographical characteristics of Noctuids (Lepidoptera, Noctuidae) in Croatia.	397
Strpić V.: Biodiversity of true bugs (Insecta, Heteroptera) in Croatia.	399
Afonina V.M., Tshernyshev W.B., Soboleva-Dokuchaeva I.I., Timokhov A.V., Seifulina R.R.: Forming of the arthropod's complex in agro-ecosystems.	400
Kulikova L.: Conservation of biodiversity as a basis ecosystem functioning and stability. ...	401
Varvara M., Pisica C., Sowig P.: The structure and distribution of carabid coenoses (Insecta, Coleoptera) in some agricultural crops from the East of Romania.	402
Letardi A.: Ecological and faunistical notes about a little-known Myrmeleontidae, <i>Myrmeleon bore</i> (Tjeder 1941) (Insecta, Neuroptera).	403

Workshop 5A: Biodiversity and biogeography of aquatic insects

Oral presentations 5A

Sæther O.A.: Zoogeographical patterns in Chironomidae (Diptera).	404
Mey W.: The Fan Si Pan mountain in North Vietnam – towards a reference site for Trichoptera biogeography in SE Asia.	405
Zettel H.: Diversity and distribution of Philippine Veliidae (Heteroptera).	406
Koryak M., Stafford L.J., Reilly R.J., <u>Sykora J.L.</u> : Aquatic insect communities within the drainage basin of a Pennsylvania river extensively impacted by acid mine drainage.	408
Parreirinha C., Figueiredo D.: Monitorization of Caddisflies (Trichoptera) in a Mediterranean river of South Portugal.	409

Posters 5A

Schütte C.: Effects of sedimentation on two species of burrowing dragonfly larvae.	410
García-Criado F.: Influence of mining activities on the distribution of Hydraenidae and Elmidae (Coleoptera) from a river basin in North-Western Spain.	411
Landa V., Soldán T., Zahrádková S., Helešic J.: Composition of fauna of stoneflies (Plecoptera) of the Czech Republic from the biodiversity conservation point of view	412
Ansaloni I., <u>Prevedelli D.</u> : Dipterofauna of Sestaione River (Tuscan Apennines, Italy).	414
Ryazanova G.I.: The gonad size determines results of the territorial conflict in male <i>Calopteryx splendens</i> Harris (Odonata).	415
Hiršová H.: Ecological study on shore flies (Diptera, Ephydriidae) of a salt marsh in Southern Moravia.	417
Kazancı N.: Additional Ephemeroptera (Insecta) records from Turkey and their zoogeography	418
Godunko R.J.: First record of <i>Symbiocladius rhithrogenae</i> (Diptera, Chironomidae) in Ukraine	420
Petrova N.A., Chubareva L.A.: Results and perspectives of karyological studies of blackflies (Simuliidae, Diptera) of the Palearctic.	422