

# CONTENTS.

	PAGE
SECTION I.—INTRODUCTION . . . . .	xi
Acknowledgments . . . . .	xviii
SECTION II.—SEGREGATION IN STEEL. By Professor J. H. Andrew, D.Sc., H. T. Protheroe, B.Sc., R. T. Percival, B.Met., and A. J. MacDougall . . . . .	1
SECTION III.—OXYGEN DETERMINATIONS ON A SERIES OF BATH SAMPLES TAKEN FROM AN ACID OPEN-HEARTH FURNACE (CAST <i>E14473</i> ). By G. E. A. Bramley, M.Sc., Ph.D., W. R. Maddocks, Ph.D., and G. Tateson, Assoc.Met. (under the direction of Professor J. H. Andrew, D.Sc.) . . . . .	11
Samples . . . . .	12
Metal and Slag Analyses of Samples . . . . .	13
Discussion of the Results . . . . .	16
SECTION IV.—THE DELTA REGION IN CARBON STEELS. By C. H. Desch, D.Sc., F.R.S.. . . . .	27
SECTION V.—A STUDY OF A NICKEL-CHROMIUM-MOLYBDENUM- VANADIUM STEEL INGOT. By Dr. W. H. Hatfield, F.R.S. . . . .	31
SECTION VI.—THE SECOND REPORT OF THE OXYGEN SUB-COMMITTEE	37
Contents and Summary Index . . . . .	37
Part 1.—Introduction . . . . .	41
Part 2A.—The Vacuum Fusion Method for the Determination of Oxygen, Nitrogen and Hydrogen in Steel. The Determination of the Oxygen Content of Surface Oxide Films. By H. A. Sloman, M.A. (under the direction of Dr. C. H. Desch, F.R.S.) . . . . .	43
Oxygen . . . . .	45
Nitrogen and Hydrogen . . . . .	47
The Application of the Vacuum Fusion Method to the Analysis of Surface Oxide Films . . . . .	55
Part 2B.—The Fractional Vacuum Fusion Method for the Separation of Oxides and Gases in Steel. By T. Swinden, D.Met., W. W. Stevenson, A.I.C., and G. E. Speight, B.Sc., A.I.C. . . . .	63
The Vacuum Fusion Apparatus . . . . .	65
Determination of the "Blanks" . . . . .	65
Early Fractional Experiments . . . . .	67
Later Development of the Fractional Method . . . . .	71
Fractional Vacuum Fusion Tests on a Series of Steels Examined by Other Methods . . . . .	74
Fractional Vacuum Fusion Tests on Steels with Selected Oxides Preponderating. . . . .	80
Comparison of the Foregoing Data with X-Ray Examination of Residues and Microscopical Examination of the Steels . . . . .	83
Summary and Conclusions . . . . .	84
Appendix.—The Fraction Vacuum Fusion Method. A Typical Run . . . . .	85

SECTION VI.— <i>Continued.</i>	PAGE
Part 2c.—The Vacuum Fusion Method for the Determination of Oxygen in Steel. A Carbon-Spiral Vacuum Fusion Furnace as in Use at Sheffield University. By G. E. A. Bramley, M.Sc., Ph.D., and T. Raine, B.Met., Ph.D., A.I.C. (under the direction of Professor J. H. Andrew, D.Sc.) . . . . .	87
The Vacuum Fusion Furnace . . . . .	87
Procedure for a Vacuum Fusion Determination . . . . .	92
Cleaning Condensed Metal Vapours from the Furnace Casing . . . . .	94
Appendix I.—A Typical Run of the Vacuum Fusion Furnace. October 7, 1938 . . . . .	95
Appendix II.—A Typical “Blank” Determination . . . . .	96
Part 2d.—The Vacuum Fusion Method for the Determination of Oxygen in Steel. A Carbon-Spiral Vacuum Fusion Furnace as in Use at the Brown-Firth Research Laboratories. By W. C. Newell, Ph.D., D.I.C., A.R.C.S., B.Sc., A.I.C. . . . .	97
The Furnace . . . . .	97
Collection and Analysis of the Gases . . . . .	99
Mode of Operation . . . . .	100
Part 3.—The Aluminium Reduction Method for the Gravimetric Determination of Total Oxygen in Plain Carbon Steels. By N. Gray, M.Met., and M. C. Sanders . . . . .	103
Introduction . . . . .	103
Description of Apparatus and Procedure . . . . .	104
Description of the “Blank” Estimation . . . . .	105
Materials used and Results obtained . . . . .	106
Conclusions . . . . .	108
Part 4.—The Chlorine Method for the Determination of Non-Metallic Inclusions. By E. W. Colbeck, M.A., S. W. Craven, and W. Murray . . . . .	109
Introduction . . . . .	109
A.—Plain Carbon Steels . . . . .	110
B.—Alloy Steels . . . . .	111
C.—Pig and Cast Iron . . . . .	112
Conclusions . . . . .	120
Part 5.—The Determination of Non-Metallic Inclusions in Pig and Cast Iron by a Modified Aqueous Iodine Method. By E. Taylor-Austin, F.I.C. . . . .	121
Introduction . . . . .	121
Preliminary Experiments . . . . .	122
Procedures . . . . .	123
Treatment of the Non-Metallic Residue . . . . .	124
Removal of Phosphorus by Treatments . . . . .	124
Modification of the Sodium Carbonate Treatment . . . . .	125
The Effect of Prolonged Treatment with Sodium Carbonate-Citrate Solution . . . . .	128
The Effects of Prolonged Treatment with Ammonium Citrate Solution . . . . .	129
Treatments at 80° C. . . . .	130
Time Required for Complete Decomposition of a Sample of Phosphoric Iron in Aqueous Iodine Solution . . . . .	131
Determinations Carried out on Steel Samples . . . . .	133
Determinations Carried out on Pig-Iron Samples . . . . .	134
The Addition of Sodium Citrate to the Initial Iodine-Iodide Solution . . . . .	136
The Solubility of Manganese Oxide during Treatments of Non-Metallic Residues . . . . .	137

SECTION VI., Part 5.— <i>Continued.</i>	PAGE
Impurities Introduced from Glassware during the Process . . . . .	138
Further Determinations on Steel Samples . . . . .	138
Conclusions . . . . .	138
Part 6A.—The Alcoholic Iodine Method for the Separation of Oxides in Steel. By T. E. Rooney, A.M.S.T., F.I.C. (under the direction of Dr. C. H. Desch, F.R.S.) . . . . .	141
Methods and Apparatus . . . . .	141
Experimental Work . . . . .	145
Influence of Phosphorus on the Analysis of the Residue	145
Influence of Dissolved Oxygen in the Alcohol and of the Oxide Film on the Millings . . . . .	146
Use of Solvents other than Alcohol for the Iodine Solution . . . . .	151
Influence of Concentration, &c., of the Alcoholic Iodine Solution . . . . .	151
X-Ray Examination of Residues before Ignition . . . . .	151
Influence of Sulphides . . . . .	153
Influence of Phosphorus . . . . .	155
Influence of the Time of Stirring . . . . .	156
Influence of Special Elements . . . . .	156
Conclusions . . . . .	157
Commentary on the Present Position of the Alcoholic Iodine Method . . . . .	158
Part 6B.—The Alcoholic Iodine Method for the Separation of Non-Metallic Inclusions from Pig and Cast Iron. By E. Taylor-Austin, F.I.C. . . . .	159
1.—The Effects of Prolonged Churning at Room Temperature	160
2.—The Method of Stirring at Elevated Temperature . . . . .	161
3.—The Effects of Water in the Methyl Alcohol . . . . .	167
4.—The Use of Non-Aqueous Solvents for Iodine other than Methyl Alcohol . . . . .	169
5.—The Combination of the Alcoholic Iodine and Chlorine Methods . . . . .	170
6.—Analytical Procedure. . . . .	171
7.—Conclusions . . . . .	172
Part 7A.—Comparison of Methods Used in the Analysis of Non-Metallic Residues Obtained by the Iodine and Chlorine Methods. By E. W. Colbeck, M.A., S. W. Craven, and W. Murray . . . . .	173
Part 7B.—The Analysis of Chlorine Residues. By E. W. Colbeck, M.A., S. W. Craven, and W. Murray . . . . .	177
The Determination of Phosphorus . . . . .	177
The Determination of Chromium . . . . .	178
Part 7C.—The Analysis of Non-Metallic Residues Obtained by the Alcoholic Iodine Method. By W. W. Stevenson, A.I.C. . . . .	179
Precautions and Observations on Technique . . . . .	180
Ignition of the Non-Metallic Residue . . . . .	180
Determination of Silica . . . . .	180
Separation of Iron, Titanium and Zirconium . . . . .	181
Separation and Determination of Aluminium, Chromium, Manganese and Phosphorus . . . . .	185
Method of Reporting the Results Obtained . . . . .	193
Part 7D.—The X-Ray Examination of Non-Metallic Residues Obtained by the Alcoholic Iodine Method. By A. H. Jay, Ph.D., and W. W. Stevenson, A.I.C. (under the direction of T. Swinden, D.Met.) . . . . .	195
X-Ray Examination of the Residues . . . . .	196

SECTION VI., Part 7D.— <i>Continued.</i>	PAGE
Chemical Analysis of the Residues . . . . .	198
Microscopical Examination of the Steels . . . . .	199
Observations on Results . . . . .	199
Conclusion . . . . .	200
Part 8.—Details of the Materials Examined. Manufacture, Preparation and Analyses . . . . .	201
A.—Preparation and Analyses of Steels <i>SG1267, SG1268,</i> <i>SG1269</i> and <i>SG2694</i> (High Sulphur and Phosphorus Steels)	201
B.—Preparation and Analyses of Steels <i>N1, Cu2, M3, V4,</i> <i>Cr5, T6, SG2698</i> and <i>SG2699</i> (Low-Alloy Steels)	202
C.—Preparation and Analysis of the Remelted Hematite Iron . . . . .	203
D.—Preparation and Analysis of Steel 52703 . . . . .	204
E.—Analyses of Pure Iron Samples . . . . .	206
Part 9.—Analytical Results of the Materials Examined . . . . .	207
Part 10.—Summary and Conclusions, with some Reference to the Work of other Investigators . . . . .	223
Part 11.—Work in Hand and Future Programme . . . . .	229
Appendix.—Total Oxygen Content of a Series of Irons and Steels Examined by the Corrosion Committee of the Iron and Steel Institute. By W. W. Stevenson, A.I.C., and G. E. Speight, B.Sc., A.I.C. . . . .	233
SECTION VII.—PYROMETRY. The Second Report of the Liquid Steel Temperature Sub-Committee . . . . .	235
General Review of Sub-Committee's Work . . . . .	235
Conclusions regarding the "Quick-Immersion" Thermocouple . . . . .	237
A "Quick-Immersion" Thermocouple for Measuring the Tem- perature of Liquid Steel both before and after being Tapped from the Furnace. By F. H. SCHOFIELD, B.A., D.Sc., and A. Grace . . . . .	239
I.—Introduction . . . . .	239
II.—Measurement of Temperature of Steel in Open-Hearth and other Furnaces . . . . .	240
Construction of the Apparatus . . . . .	241
Use of the Apparatus . . . . .	248
Sources of Error . . . . .	249
Results . . . . .	252
Open-Hearth and other Furnaces of Basic Type . . . . .	254
Electric Furnaces . . . . .	255
III.—Measurement of Temperature of Steel after Tapping from the Furnace . . . . .	256
Ladle . . . . .	256
Lauder and Trough . . . . .	257
Mould . . . . .	259
IV.—Suitable Types of Indicator . . . . .	259
(1) Pivoted Millivoltmeter . . . . .	260
(2) Quick-Period Reflecting Millivoltmeter . . . . .	260
(3) Interpolation Potentiometer. . . . .	261
(4) Slide-Wire Potentiometer . . . . .	262
Acknowledgments . . . . .	263
Appendix.—List of the More Important Materials for the Con- struction of the Quick-Immersion Thermocouple . . . . .	264

	PAGE
SECTION VIII.—SECOND REPORT OF THE INGOT MOULDS SUB-COMMITTEE. By a Joint Sub-Committee of the Heterogeneity of Steel	
Ingots and Open-Hearth Committees . . . . .	265
Introduction . . . . .	265
The Cracking of Ingot Moulds . . . . .	267
(a) Forces Causing Cracking . . . . .	267
(b) Essential Physical Properties . . . . .	270
(c) Material . . . . .	270
(d) Design . . . . .	271
Examples of Cracked Ingot Moulds and their Examination. . . . .	271
(A) Examination of a Cracked 90-in. Slab Mould . . . . .	271
(B) Examination of Three 6½-ton Slab Moulds . . . . .	275
The Basic Causes of Cracking . . . . .	277
The Determination of the Temperature Gradients in the Wall of a Slab Mould . . . . .	278
Selected Bibliography on Temperature Distribution in Ingot-Mould Walls during the Solidification of Ingots . . . . .	295
The Effect of Silicon on the Service Behaviour of the Mould . . . . .	299
The Effect of Preferential Cooling on Mould Life and on the Incidence of Cracking. . . . .	302
Acknowledgments . . . . .	303
SECTION IX.—REPORT OF THE INCLUSIONS COUNT SUB-COMMITTEE . . . . .	305
Appendix.—History of the Attempt to Count and Evaluate Inclusions . . . . .	317

LIST OF PLATES.

Plates I. to VI.	Illustrating Section II.	<i>Between pp.</i>	8 and	9
VII. to XII.	Illustrating Section V.	„	32 „	33
XIII. to XVII.	Illustrating Section VI., Part 2D . . . . .	„	96 „	97
XVIII.	Illustrating Section VI., Part 6A . . . . .		<i>To face p.</i> 142	
XIX.	Illustrating Section VI., Part 6B . . . . .		„ „	166
XX. to XXII.	Illustrating Section VII.	<i>Between pp.</i>	248 and	249
XXIII. to XXVI.	Illustrating Section VIII.	„	272 „	273