

Contents

Foreword	ix
Introduction to the English edition	xiii
Preface to the German edition	xvii
List of contributors to the English edition	xxi
I. Methodological introduction	1
A. The tasks, methods, and limits of phylogenetic research	1
a. Fossils as the source material for phylogenetic information	1
b. The methodological procedure for phylogenetic analysis ..	3
c. Phylogenetic trees	7
d. The role of fossils in the reconstruction of dendrograms	10
1. Distinguishing the constitutive and diagnostic characters of a group	20
2. Constitutive characters and convergence (parallel develop- ment)	22
3. Constitutive characters and additive typogenesis	24
B. Phylogenetic research as a systematic problem. The stem- group concept in phylogenetic systematics	28
1. Theoretical basis of the stem-group concept	28
a. *Groups	29
b. Stem-groups	31
2. Difficulties in practice	32
C. Phylogenetic research and evolutionary ecology	38
II. Localities for Palaeozoic and Mesozoic insects	49
A. Palaeozoic	49
1. Devonian	49
2. Carboniferous	50
a. Paralic basins in Europe	51
b. Limnic basins in Europe	52
c. Southern Europe (Portugal)	53
d. Eastern Europe	54
e. Asia (Siberia, Angaraland)	54
f. North America	55
3. Permian	57
a. North America	58
b. Central and South America	59
c. Western Europe	60
d. Eastern Europe and Angaraland	60
e. Southern hemisphere	63

B. Mesozoic	66
1. Triassic	66
a. Northern hemisphere	68
b. Southern hemisphere	70
2. Jurassic	72
a. Lias	74
b. Dogger	76
c. Malm	76
3. Cretaceous	79
a. Lower Cretaceous compression fossils	80
b. Upper Cretaceous compression fossils	81
c. Cretaceous amber fossils	81
III. The phylogenetic development of the Insecta	87
A. The ground-plan, origin (sister-group) and age of the Insecta	87
B. The history of the Insecta from their origin to the close of the Palaeozoic	100
1. Entognatha	101
1.1. Diplura	102
1.2. Ellipura	102
1.2.1. Protura	104
1.2.2. Collembola	104
Appendix: fossil Entognatha	105
2. Ectognatha	109
a. Ground-plan and general remarks on the classification	109
b. The oldest fossils and their systematic position	114
c. Classification of the Ectognatha	117
2.1. Archaeognatha (Microcoryphia)	117
2.2. Dicondylia	117
2.2.1. Zygentoma	119
2.2.2. Pterygota	119
a. Ground-plan characters: the origin and structure of the wing	119
b. Classification of the Pterygota	125
c. The oldest fossils and their systematic position ..	132
2.2.2.1. Palaeoptera	134
2.2.2.1..1. Ephemeroptera (mayflies)	134
2.2.2.1..2. Odonata (dragonflies)	140
Appendix to the Palaeoptera: the Palaeodictyoptera and their systematic position	147
2.2.2.2. Neoptera	156
2.2.2.2..1. Plecoptera (stoneflies)	161
2.2.2.2..2. Paurometabola	178
2.2.2.2..2.1. Embioptera	180
2.2.2.2..2.2. Orthopteromorpha	183

2.2.2.2..2.2..1. Blattopteriformia	184
2.2.2.2..2.2..1.1. Notoptera (Grylloblattodea)	184
2.2.2.2..2.2..1.2. Dermaptera (earwigs)	186
2.2.2.2..2.2..1.3. Blattopteroidea (praying mantises, cockroaches, termites)	192
2.2.2.2..2.2..1.3.1. Mantodea (praying mantises)	194
2.2.2.2..2.2..1.3.2. Blattodea (cockroaches and termites)	195
Appendix to the Blattopteriformia: the so-called Palaeozoic 'cockroaches'	203
2.2.2.2..2.2..2. Orthopteroidea	209
2.2.2.2..2.2..2.1. Ensifera	213
2.2.2.2..2.2..2.2. Caelifera	218
2.2.2.2..2.2..2.3. Phasmatodea (stick-insects, leaf-insects)	221
General remarks on the Paraneoptera and Holometabola (Eumetabola?)	223
2.2.2.2..3. Paraneoptera	225
2.2.2.2..3.1. Zoraptera	227
2.2.2.2..3.2. Acercaria	228
2.2.2.2..3.2..1. Psocodea	229
2.2.2.2..3.2..2. Condylognatha	235
2.2.2.2..3.2..2.1. Thysanoptera (thrips)	236
2.2.2.2..3.2..2.2. Hemiptera	237
2.2.2.2..3.2..2.2.1. Heteropteroidea	240
2.2.2.2..3.2..2.2.1.1. Coleorrhyncha	241
2.2.2.2..3.2..2.2.1.2. Heteroptera (bugs)	245
2.2.2.2..3.2..2.2.2. Sternorrhyncha	248
2.2.2.2..3.2..2.2.2.1. Aphidomorpha	250
2.2.2.2..3.2..2.2.2.1.1. Aphidina (plant-lice, aphids)	252
2.2.2.2..3.2..2.2.2.1.2. Coccina (scale-insects, mealy-bugs)	254
2.2.2.2..3.2..2.2.2.2. Psyllomorpha	257
2.2.2.2..3.2..2.2.2.2.1. Aleyrodina (white flies)	258
2.2.2.2..3.2..2.2.2.2.2. Psyllina (jumping plant-lice)	260
Appendix: probable Sternorrhyncha from the Lower Permian	262
2.2.2.2..3.2..2.2.3. Auchenorrhyncha	266
a. The monophyly and age of the Auchenorrhyncha as a whole	266
b. The monophyletic subgroups of the Auchenorrhyncha and their age	269
2.2.2.2..3.2..2.2.3.1. Fulgoriformes	269
2.2.2.2..3.2..2.2.3.2. Cicadiformes	269
2.2.2.2..4. Holometabola	277
a. Ground-plan and origin. The oldest fossils	277
b. The monophyletic subgroups of the Holometabola	284

2.2.2.2.4.1. Neuropteroidea	285
2.2.2.2.4.1.1. Megaloptera (alder flies)	287
2.2.2.2.4.1.2. Raphidioptera (snake flies)	290
2.2.2.2.4.1.3. Planipennia (lacewings, ant-lions)	295
2.2.2.2.4.2. Coleoptera (beetles)	300
2.2.2.2.4.3. Strepsiptera (stylops)	308
2.2.2.2.4.4. Hymenoptera	314
2.2.2.2.4.5. Siphonaptera (fleas)	319
2.2.2.2.4.6. Mecopteroidea	322
2.2.2.2.4.6.1. Amphimesenoptera	323
2.2.2.2.4.6.1.1. Trichoptera (caddis flies)	326
2.2.2.2.4.6.1.2. Lepidoptera (butterflies, moths)	328
2.2.2.2.4.6.2. Antliophora	331
2.2.2.2.4.6.2.1. Mecoptera (scorpion flies)	333
2.2.2.2.4.6.2.2. Diptera (flies)	342
C. Review of the history of the Insecta during the Mesozoic	345
a. Introduction	345
b. The individual orders during the Mesozoic	346
1. to 2.2.1. The primarily wingless groups ('Apterygota') ..	346
2.2.2.1.1. Ephemeroptera	348
2.2.2.1.2. Odonata	350
2.2.2.2.1. Plecoptera	356
2.2.2.2.2. Paurometabola	357
2.2.2.2.2.2. Orthopteroidea	359
2.2.2.2.2.2.1. Ensifera	360
2.2.2.2.2.2.2. Caelifera	367
2.2.2.2.3. Paraneoptera	369
2.2.2.2.3.2.2.2.1.2. Heteroptera	372
2.2.2.2.3.2.2.2.2. Sternorrhyncha	378
2.2.2.2.3.2.2.2.3. Auchenorrhyncha	383
2.2.2.2.4. Holometabola	385
2.2.2.2.4.1. Neuropteroidea	385
2.2.2.2.4.2. Coleoptera	388
2.2.2.2.4.4. Hymenoptera	396
2.2.2.2.4.5. Siphonaptera	406
2.2.2.2.4.6.1.1. Trichoptera	407
2.2.2.2.4.6.1.2. Lepidoptera	410
2.2.2.2.4.6.2.1. Mecoptera	415
2.2.2.2.4.6.2.2. Diptera	422
IV. Concluding remarks and prospects for the future	441
Bibliography	445
Author index	489
Subject index	497