

Contents

Part 1	
Chapter 1	Application of the Nuclear Overhauser Effect to the Structural Elucidation of Natural Products 3
	<i>R. R. Gil and A. Navarro-Vázquez</i>
1.1	The Historical Origin of the Term “Nuclear Overhauser Effect” 3
1.2	The Theory Behind the NOE 6
1.3	Multispin Systems 15
1.4	The Kinetic NOE 16
1.5	Transient NOE 17
1.6	ROE and ROESY 18
1.7	Scalar Couplings—Zero-quantum Filters 21
1.8	NOE Experiments for the Structural Elucidation of Dimeric Compounds 24
1.9	Fully Quantitative NOE in Small Molecules 26
1.10	NOE Deconvolution—NAMFIS 30
1.11	Conclusions 35
	References 36
Chapter 2	Assigning Molecular Configuration by Nuclear Magnetic Resonance 39
	<i>Kirk R. Gustafson, Susanna T. S. Chan and Yizhou Liu</i>
2.1	Assigning Relative Configuration 39
2.1.1	Coupling Constants and NOEs 40

Modern NMR Approaches to the Structure Elucidation of Natural Products:

Volume 2: Data Acquisition and Applications to Compound Classes

Edited by Antony J. Williams, Gary E. Martin and David Rovnyak

© The Royal Society of Chemistry 2017

Published by the Royal Society of Chemistry, www.rsc.org

2.1.2	Acetonides	43
2.1.3	<i>J</i> -Based Analysis—The Murata Method	44
2.1.4	Universal Database	51
2.1.5	Computational Methods	55
2.1.6	Residual Chemical Shift Anisotropy	56
2.2	Assigning Absolute Configuration	60
2.2.1	Chiral Anisotropic Reagents	60
2.3	Conclusions	66
	References	68
Chapter 3	Nuclear Magnetic Resonance Experiments Applicable to the Elucidation and Characterization of Nitrogenous Natural Products: ^1H-^{15}N Heteronuclear Shift Correlation Methods	71
	<i>Josep Saurí, Antony J. Williams and Gary E. Martin</i>	
3.1	^1H - ^{15}N Direct and Long-range Heteronuclear Shift Correlation	71
3.2	^{15}N Chemical Shift Referencing	72
3.3	The Range of ^{15}N Chemical Shifts	73
3.4	^{15}N Pulse Widths	74
3.5	^{15}N Chemical Shift Prediction	76
3.5.1	Validating ^{15}N Chemical Shift Prediction	80
3.5.2	Setting F_1 Spectral Windows	82
3.5.3	Structure Verification using a ^{15}N Content Database	83
3.5.4	Enhancing ^{15}N Chemical Shift Prediction with a “User-trained” Database	83
3.6	Computer-assisted Structure Elucidation—The Impact of ^{15}N Data	84
3.7	$^1J_{\text{NH}}$ and $^nJ_{\text{NH}}$ Coupling Constants	86
3.8	^1H - ^{15}N Results Obtained Using Various Experiments	86
3.8.1	^1H - ^{15}N Experiments Employing an Initial $^1J_{\text{NH}}$ Magnetization Transfer	87
3.8.2	^1H - ^{15}N Experiments Employing an Initial $^nJ_{\text{NH}}$ Magnetization Transfer	91
3.8.3	^1H - ^{15}N HSQMBC	95
3.8.4	^1H - ^{15}N HSQMBC-TOCSY: A Hyphenated Long-range ^1H - ^{15}N Experiment	98
3.8.5	Triple-resonance ^1H - ^{15}N Experiments	107
3.9	Conclusions	113
	References	113

Chapter 4	Application of Residual Dipolar Couplings to the Structural Analysis of Natural Products	117
	<i>R. R. Gil and A. Navarro-Vázquez</i>	
4.1	Introduction	117
4.2	Alignment Media	130
4.3	The Nature of the Alignment Process	142
4.4	How RDCs are Measured	143
4.5	Data Analysis—How the RDCs are used in the Structural Analysis of Small Molecules	148
4.5.1	Possible Scenarios	148
4.5.2	How to Manage Experimental Uncertainties in RDC Analysis	153
4.5.3	The Conformational Problem	156
4.5.4	How to Handle Symmetrical Rotors	158
4.5.5	Software	159
4.6	RDCs in the Structural Elucidation of Natural Products	159
4.6.1	Dimeric Products	166
4.7	Conclusions	172
	References	172
Chapter 5	Applications of High-resolving Power, High-accuracy Mass Spectrometry for the Structural Elucidation of Natural Products	177
	<i>Gary Kruppa and Wendy Zhong</i>	
5.1	Introduction	177
5.1.1	Mass Spectrometry for the Structural Elucidation of Unknowns	177
5.1.2	Brief Description of FT-ICR	185
5.2	Examples from Literature	190
5.2.1	Ultra-high Resolving Power to Separate the Isotopic Fine Structures	190
5.2.2	Study of Biosynthesis Processes by Measuring Stable Isotopic-labeled Precursors using FT-ICR MS	194
5.2.3	Metabolite Profiling of Triterpene Saponins by Combined Accurate Mass Measurement and MS ⁿ Experiments using LC FT-ICR MS	195
5.3	Conclusions	197
	References	197

Chapter 6	Current Pulse Sequence Developments in Small-molecule Nuclear Magnetic Resonance Spectroscopy	199
	<i>Teodor Parella</i>	
6.1	Introduction	199
6.2	Fast NMR	202
6.3	Pure Shift NMR	206
6.3.1	The ZS Experiment	209
6.3.2	Sensitivity, Strong Coupling Effects, and Spectral Quality	210
6.3.3	ZS Applications	216
6.3.4	Implementing Homodecoupling in 1D and 2D NMR Experiments	218
6.4	Perfect NMR	227
6.4.1	Perfect Spin-echo	228
6.4.2	Using ZQFs	233
6.5	Ultra-long-range Correlation NMR	234
6.5.1	Long-range HSQMBC	236
6.5.2	HSQMBC-TOCSY	237
6.5.3	ADEQUATE	240
6.6	Future Perspectives	243
	Acknowledgements	244
	References	244
Part 2		
Chapter 7	Terpenes: Mono-, Sesqui-, and Higher Terpenes	253
	<i>William F. Reynolds and Raul G. Enriquez</i>	
7.1	Introduction	253
7.2	Types of Terpenes and Related Compounds	254
7.3	Basic Approach to Terpene Structure Elucidation by NMR Spectroscopy	257
7.4	Avoiding Determining the Wrong Structure	261
7.5	Specialized Techniques that are Useful for Different Types of Terpenes	267
7.6	Conclusions	272
	Acknowledgements	272
	References	273

Chapter 8	Nuclear Magnetic Resonance of Steroids	275
	<i>Martin Jaeger and Ruud L. E. G. Aspers</i>	
8.1	Prologue	275
8.2	An Introduction to Steroids	275
8.3	Modern and “Rare” NMR Methods in the Steroid Field	284
8.3.1	Recent General NMR Developments	284
8.3.2	Covariance NMR and Steroids	284
8.3.3	The HSQC-TOCSY Experiment	287
8.3.4	¹³ C-Detected Experiments	287
8.3.5	1D and High-resolution 1D ¹ H Methods	288
8.3.6	¹⁹ F NMR	290
8.3.7	Residual Dipolar Couplings	294
8.4	Considerations	298
8.5	Conclusions	307
	Acknowledgements	308
	References	308
Chapter 9	Nuclear Magnetic Resonance Experiments Applicable to the Elucidation and Characterization of Alkaloid Structures Part I: Direct ¹H–¹³C Heteronuclear Shift Correlation and Establishing Contiguous Protonated Carbon Spin Systems	315
	<i>Josep Saurí and Gary E. Martin</i>	
9.1	Introduction	315
9.2	“First-tier” NMR Methods for Alkaloid Structure Characterization	316
9.2.1	Sample Preparation	317
9.2.2	Probe Selection	317
9.2.3	Parameter Choices	318
9.3	Acquiring NMR Spectra	319
9.4	1D Reference Spectra	319
9.5	Fundamental or “First-tier” 2D NMR Spectra	322
9.5.1	Conventional HSQC	322
9.5.2	Multiplicity-edited HSQC	324
9.5.3	Incorporating BIRD-based Homonuclear Decoupling in the HSQC Experiment: PS-HSQC	324
9.5.4	Summary of One-bond Heteronuclear Correlation Methods	327

9.6	Intentionally Folding HSQC Spectra in Limited-sample Situations	329
9.7	Non-uniform Sampling	332
9.8	Long-range Heteronuclear Shift Correlation	335
9.8.1	HMBC	335
9.8.2	LR-HSQMBC	338
9.9	Defining the Proton-Proton Connectivity Network	342
9.9.1	COSY and TOCSY Spectra	342
9.9.2	HSQC-TOCSY Spectra	346
9.9.3	HSQMBC-COSY and HSQMBC-TOCSY Spectra	349
9.9.4	Strategy for Employing Hyphenated 2D Experiments	354
	References	354
Chapter 10	Nuclear Magnetic Resonance Experiments Applicable to the Elucidation and Characterization of Alkaloid Structures Part II: Advanced Techniques for the Identification of Adjacent Carbons Using H2BC, 1,1-ADEQUATE, and Variants	358
	<i>Josep Saurí and Gary E. Martin</i>	
10.1	Identification of Adjacent Carbons Using H2BC and 1,1-ADEQUATE Data	358
10.1.1	Identification of Adjacent Protonated Carbons Using the H2BC Experiment	359
10.1.2	Identifying Adjacent Carbons Using 1,1- and 1,1-HD-ADEQUATE	361
10.2	1, <i>n</i> -ADEQUATE and Advanced Variants	371
10.2.1	1, <i>n</i> -ADEQUATE	373
10.2.2	1, <i>n</i> -HD-ADEQUATE	374
10.2.3	Edited 1, <i>n</i> -HD-ADEQUATE	378
10.3	Examples of the Application of Advanced NMR Methods in Structure Elucidation Studies	380
10.3.1	Staurosporine—Is the Crew's Rule Obsolete?	383
10.3.2	Cryptospirolepine—Resolution of a Long-standing Structural Ambiguity Using 1,1- and 1, <i>n</i> -HD-ADEQUATE Spectra	386
10.3.3	Eudistidine-C	397
10.4	Conclusions	399
	References	400

Chapter 11 Nuclear Magnetic Resonance Case Studies in Marine Natural Products	403
<i>Angela A. Salim, Andrew M. Piggott and Robert J. Capon</i>	
11.1 Introduction	403
11.1.1 Case Studies	404
11.1.2 Snapshots	405
11.2 Marine Natural Product Case Studies	405
11.2.1 Trachycladindoles	405
11.2.2 Franklinolides	406
11.2.3 Bistellettazines	409
11.2.4 Phorbasins	412
11.2.5 Ircinialactams	417
11.2.6 Fascioquinols	420
11.3 Marine Natural Product Snapshots	426
References	438
Chapter 12 Nuclear Magnetic Resonance Case Studies in Microbial Natural Products	440
<i>Andrew M. Piggott, Angela A. Salim and Robert J. Capon</i>	
12.1 Introduction	440
12.1.1 Case Studies	441
12.1.2 Snapshots	441
12.2 Microbial Natural Product Case Studies	442
12.2.1 Aspergillazines	442
12.2.2 Nocardioazines	444
12.2.3 Heronamides	447
12.2.4 Kibdelones	452
12.2.5 Reveromycins	457
12.3 Microbial Natural Product Snapshots	463
12.3.1 Macrocyclic Lactones	463
12.3.2 Cyclic Peptides	463
12.3.3 Caged Structures	463
12.3.4 Miscellaneous	475
12.4 Conclusion	483
References	483
Chapter 13 Nuclear Magnetic Resonance in Saponin Structure Elucidation	486
<i>Antonio Jorge Ribeiro da Silva, Ricardo Moreira Borges and Vitor Soares</i>	
13.1 Introduction	486

13.2	General Considerations	487
13.3	Structure and Relative Stereochemistry of the Aglycone	489
13.4	Identity of Component Monosaccharides	493
13.5	Linkage Position and Sequence of the Oligosaccharide Chain	497
13.6	Concluding Remarks	499
13.6.1	Experimental	500
	References	500
Chapter 14 Increasing the Adoption of Advanced Techniques for the Structure Elucidation of Natural Products		502
	<i>Antony J. Williams, Gary E. Martin and David Rovnyak</i>	
	References	506
	Subject Index	508