

## TABLE OF CONTENTS

| CHAPTER  | PAGE |
|--|------|
| <b>I. MATERIALS AND THEIR PROPERTIES</b> .....   | 1    |
| 1. Introduction—2. Materials—3. Strength—4. Stiffness—5. Ductility—6. Machineability—7. Hardness—8. Miscellaneous Properties—9. Table of Physical Properties—10. Cast Iron—11. Malleable Iron Castings—12. High-Grade Cast Iron—13. Alloy Cast Iron—14. Wrought Iron—15. Cast Steel—16. Alloy-Steel Castings—17. Wrought Steel—18. Alloy Steels—19. Aluminum—20. Magnesium Alloys—21. Brass, Bronze, and Babbitt—22. Die-Casting Alloys—23. Non-Corrosive Metals—24. Phenol Resinoids—25. Choice of Material—26. Definitions—27. Other Methods of Surface Hardening—28. Closure. |      |
| <b>II. STRESS ANALYSIS—SIMPLE AND BENDING STRESSES</b> ..  | 26   |
| 29. Introduction—30. Stress—31. Definitions—32. Factor of Safety—33. Safe Compressive Stress—34. Bearing Stress—35. Bending—36. Maximum Bending Moment and the Design Stress—37. Stress Analysis—38. Discussion of Procedure in Design—39. Courtesy in the Written Form of Calculations.   |      |
| <b>III. TOLERANCES AND ALLOWANCES</b> .....  | 44   |
| 40. Introduction—41. Tolerance—42. Fits—43. Allowance and Tolerance—44. Press Fits and Force Fits—45. Explanatory Notes.   |      |
| <b>IV. FATIGUE AND STRESS CONCENTRATIONS</b> .....   | 50   |
| 46. Failure by Fatigue—47. Endurance Limit—48. Stress Concentrations—49. Values of Stress-Concentration Factors—50. Other Factors Affecting Endurance Strengths—51. Varying Stress—52. Closure.  |      |
| <b>V. SCREW FASTENINGS</b> .....   | 62   |
| 53. Kinds of Threads—54. Definitions—55. Standard Threads—56. Taper Pipe Threads—57. Fit between Nut and Screw—58. Bolts—59. Loading on Bolts—60. Design of Bolts for Tension—61. Example—62. Endurance Strength of Bolts—63. Bolts and Screws in Shear—64. Screws—65. Set Screws—66. Cap Screws—67. Machine Screws—68. Other Types of Screws—69. Depth of Tapped Hole—70. Clearance around Bolt Head and Nut—71. Shock Loading on Bolts—72. Live Load with Zero Impact Velocity—73. Solution of Problems—74. Example—75. The Dardelet Thread—76. Threadlocking Devices.         |      |

| CHAPTER  | PAGE |
|--|------|
| VI. RIVETING AND THIN-SHELL CYLINDERS .....                        | 89   |
| 77. Introduction—78. Rivets—79. Types of Riveted Joints—           |      |
| 80. Pitch—81. Thickness of Plate for a Thin-Wall Pressure Vessel   |      |
| —82. Stresses for Boiler Materials—83. Factor of Safety in Boilers |      |
| —84. Diameter of Rivet—85. Pitch of Lap Joints—86. Pitch of        |      |
| Butt Joints—87. Other Considerations Affecting the Pitch—          |      |
| 88. Rivet Holes—89. Design of Triple-Riveted Butt Joint—           |      |
| 90. Margin and Back Pitch—91. Effect of Cooling on Rivet—          |      |
| 92. Rivets in Tension—93. Fatigue of Riveted Connections—          |      |
| 94. Pressure to Head Rivet—95. Ring Seams—96. Heads—               |      |
| 97. Closure.   |      |
| VII. SHAFTS IN TORSION—KEYS AND COUPLINGS .....                    | 107  |
| 98. Introduction—99. Definitions—100. Torsion in Shafts—           |      |
| 101. Torque—102. Design Stresses—103. Torsional Deflection—        |      |
| 104. Commercial Shaft Sizes—105. Key Design—106. Stresses          |      |
| in Keys—107. Width and Height of Keys—108. Problem—                |      |
| 109. Types of Keys—110. Feather Key—111. Splined Shafts—           |      |
| 112. Couplings—113. Flange Coupling—114. Stress Analysis of        |      |
| Flange Coupling—115. Jaw Clutch—116. Roller Clutch—117.            |      |
| Other Types of Rigid Couplings—118. Flexible Couplings—            |      |
| 119. Universal Joint—120. Shear Pin.                               |      |
| VIII. FLAT BELTS AND PULLEYS .....                                 | 131  |
| 121. Introduction—122. Ideal Conditions of Operation—123. Law      |      |
| of Belting—124. General Formula for Belt Design—125. Net           |      |
| Belt Pull—126. Stresses in Belts—127. Specific Weight of Belting   |      |
| —128. Slip and Creep—129. Coefficient of Friction—130. Angle       |      |
| of Contact—131. Speed of Belts—132. Belt Thickness and Width       |      |
| —133. Rating Tables of Leather Belts—134. Net Belt Pull per        |      |
| Inch of Belt Width—135. General Remarks on Leather Belting—        |      |
| 136. Rubber Belts—137. Other Materials Used for Belts—             |      |
| 138. Velocity Ratio—139. Length of Belts—140. Diameters of         |      |
| Step Cones—141. Tension Pulley—142. Rockwood Drive—143.            |      |
| Belts on Drives Where Shafts Are Not Parallel—144. Crowning        |      |
| Pulleys—145. Width of Face of Pulley—146. Wood Pulleys—147.        |      |
| Paper Pulleys—148. Cast-Iron Pulleys—149. Steel Pulleys—150.       |      |
| Tight-and-Loose Pulleys—151. Quills—152. Closure.                  |      |
| IX. ROPE, V-BELT, AND CHAIN DRIVES .....                           | 158  |
| 153. Rope Drive—154. Design of Rope Drives—155. Sag of Rope        |      |
| between Sheaves—156. General Remarks on Rope Drives—157.           |      |
| V-Belts—158. Design of V-Belts—159. Variable-Speed Devices—        |      |
| 160. Coil Chain—161. Block Chains—162. Roller-Chain Dimen-         |      |
| sions—163. Chain Velocity and Pin Load—164. Permissible            |      |
| Sprocket Speed—165. Net Chain Pull—166. Example—167.               |      |
| Length of Chain—168. Roller-Chain Sprockets—169. Silent            |      |

| CHAPTER   | PAGE |
|---|------|
| VI. RIVETING AND THIN-SHELL CYLINDERS .....   | 89   |
| 77. Introduction—78. Rivets—79. Types of Riveted Joints—<br>80. Pitch—81. Thickness of Plate for a Thin-Wall Pressure Vessel<br>—82. Stresses for Boiler Materials—83. Factor of Safety in Boilers<br>—84. Diameter of Rivet—85. Pitch of Lap Joints—86. Pitch of<br>Butt Joints—87. Other Considerations Affecting the Pitch—<br>88. Rivet Holes—89. Design of Triple-Riveted Butt Joint—<br>90. Margin and Back Pitch—91. Effect of Cooling on Rivet—<br>92. Rivets in Tension—93. Fatigue of Riveted Connections—<br>94. Pressure to Head Rivet—95. Ring Seams—96. Heads—<br>97. Closure.  |      |
| VII. SHAFTS IN TORSION—KEYS AND COUPLINGS .....   | 107  |
| 98. Introduction—99. Definitions—100. Torsion in Shafts—<br>101. Torque—102. Design Stresses—103. Torsional Deflection—<br>104. Commercial Shaft Sizes—105. Key Design—106. Stresses<br>in Keys—107. Width and Height of Keys—108. Problem—<br>109. Types of Keys—110. Feather Key—111. Splined Shafts—<br>112. Couplings—113. Flange Coupling—114. Stress Analysis of<br>Flange Coupling—115. Jaw Clutch—116. Roller Clutch—117.<br>Other Types of Rigid Couplings—118. Flexible Couplings—<br>119. Universal Joint—120. Shear Pin.  |      |
| VIII. FLAT BELTS AND PULLEYS .....  | 131  |
| 121. Introduction—122. Ideal Conditions of Operation—123. Law<br>of Belting—124. General Formula for Belt Design—125. Net<br>Belt Pull—126. Stresses in Belts—127. Specific Weight of Belting<br>—128. Slip and Creep—129. Coefficient of Friction—130. Angle<br>of Contact—131. Speed of Belts—132. Belt Thickness and Width<br>—133. Rating Tables of Leather Belts—134. Net Belt Pull per<br>Inch of Belt Width—135. General Remarks on Leather Belting—<br>136. Rubber Belts—137. Other Materials Used for Belts—<br>138. Velocity Ratio—139. Length of Belts—140. Diameters of<br>Step Cones—141. Tension Pulley—142. Rockwood Drive—143.<br>Belts on Drives Where Shafts Are Not Parallel—144. Crowning<br>Pulleys—145. Width of Face of Pulley—146. Wood Pulleys—147.<br>Paper Pulleys—148. Cast-Iron Pulleys—149. Steel Pulleys—150.<br>Tight-and-Loose Pulleys—151. Quills—152. Closure. |      |
| IX. ROPE, V-BELT, AND CHAIN DRIVES .....  | 158  |
| 153. Rope Drive—154. Design of Rope Drives—155. Sag of Rope<br>between Sheaves—156. General Remarks on Rope Drives—157.<br>V-Belts—158. Design of V-Belts—159. Variable-Speed Devices—<br>160. Coil Chain—161. Block Chains—162. Roller-Chain Dimen-<br>sions—163. Chain Velocity and Pin Load—164. Permissible<br>Sprocket Speed—165. Net Chain Pull—166. Example—167.<br>Length of Chain—168. Roller-Chain Sprockets—169. Silent  |      |

# TABLE OF CONTENTS

xiii

| CHAPTER   | PAGE       |
|---|------------|
| <p>Chains—170. Selection of Silent Chains—171. Wire Rope—172. Strength of Wire Rope—173. Sheave Diameters—174. Load Due to Bending around Sheave—175. Example—176. Load due to Acceleration—177. Ratio of Tensions <math>F_1</math> and <math>F_2</math> at Slow Speed—178. Fittings for Wire Rope—179. Jerk Loads on Wire Rope—180. Power Transmission by Wire Ropes.</p>  |            |
| <b>X. SPUR AND HELICAL GEARING</b> .....  | <b>187</b> |
| <p>181. Introduction—182. Definitions—183. Pitch—184. Condition for Constant Angular-Velocity Ratio—185. The Involute Applied to Gear Teeth—186. Gear-Tooth Action—187. Interference of Involute Teeth—188. Angles of Action, Approach, Recess, and Pitch—189. Involute Rack—190. Interchangeable Gear-Tooth Systems—191. Interchangeable Involute Gears—192. Lewis' Equation—193. Face of Gears—194. The Form Factor, <math>Y</math>—195. Design Stress—196. The Transmitted Load—197. Dynamic Loads on Gear Teeth—198. Dynamic Load for Cast-Teeth—199. Dynamic Load on Non-Metallic Gear Teeth—200. Example—201. Dynamic Load for Metallic Cut Teeth—202. Wear of Gear Teeth—203. Example—204. Permissible Error in the Tooth Profile—205. Margin of Safety—206. Example—207. Hunting Tooth—208. Hubs—209. Arms—210. Rim and Bead—211. Materials of Gears—212. Internal Gears—213. Unequal Addendum and Dedendum—214. Cycloidal System—215. Stepped Gears—216. Helical Gears—217. Helical-Gear Notation—218. Herringbone Gears—219. Design of Helical Gears on Parallel Shafts—220. Helical Gears on Non-Parallel Shafts—221. Gear Trains—222. Efficiency of Gears—223. Laying Out Involute Teeth.</p> |            |
| <b>XI. BEVEL AND WORM GEARING</b> .....   | <b>241</b> |
| <p>224. Bevel Gears—225. Bevel-Gear Nomenclature—226. Strength of Bevel-Gear Teeth—227. The Form Factor, <math>Y</math>—228. Width of Face of Bevel Gears—229. Tooth Proportions in Bevel Gearing—230. Dynamic Load and Wear—231. Example—232. Gleason System for Spiral Bevel Gears—233. Dynamic Load and Wear Load for Spiral Bevel Gears—234. Design Details—235. Factors Involved in Developing the Gleason System of Bevel-Gear Teeth—236. Other Types of Bevel Gears—237. Forces on a Bevel Gear—238. Worm Gears—239. Pitch and Lead of Worms—240. Proportions of Worm Gears—241. Strength of Worm-Gear Teeth—242. Design of Worm Gears for Wear—243. Heat Radiating Capacity—244. Equation for Efficiency of Worm Gearing—245. Coefficient of Friction for Worms—246. Force Analysis of Worm and Gear—247. Materials Used for Worm Drives.</p>   |            |
| <b>XII. COMBINED STRESSES, COLUMNS, AND POWER SCREWS</b>  | <b>277</b> |
| <p>248. Eccentric Loading—249. Eccentric Loading on Unsymmetric Section—250. Combined Normal and Shear Stresses—251. De-</p>  |            |

| CHAPTER    |  | PAGE       |
|------------|--|------------|
| <b>XX.</b> | <b>MISCELLANEOUS PROBLEMS</b> .....  | <b>458</b> |
|            | 391. Curved Beams—392. Thick-Shell Cylinders—393. Steel<br>Tubes Subjected to External Pressure—394. Thin-Walled<br>Cylindrical Shells under External Pressure—395. Flat Plates—<br>396. Force Fits and Shrink Fits—397. Flywheels—398. Example<br>—399. Stresses in Flywheel Rim—400. Rotating Disks. |            |
|            | <b>INDEX</b> .....   | <b>479</b> |